



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## Crimping pliers - CRIMPFOX CENTRUS 10S - 1213154

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Crimping pliers, for uninsulated and insulated ferrules, DIN 46228 Part 1 and 4, from 0.14 mm<sup>2</sup> ... 10 mm<sup>2</sup>, also for TWIN ferrules up to 2 x 4 mm<sup>2</sup>, automatic cross section adjustment, lateral insertion, equipped with fall protection

### Product Features

- ✓ Ergonomic handle design ensures comfortable, fatigue-free handling
- ✓ With a particularly small handle width, the tool fits perfectly in your hand
- ✓ Sturdy plastic guard over the head of the pliers protects the tool against damage caused by dropping
- ✓ Up to 30% lower actuation force, thanks to optimized leverage
- ✓ Pressure lock ensures consistently high quality crimping results



### Key Commercial Data

|                                      |          |
|--------------------------------------|----------|
| Packing unit                         | 1 pc     |
| Weight per Piece (excluding packing) | 460.0 g  |
| Custom tariff number                 | 82032000 |
| Country of origin                    | Sweden   |

### Technical data

#### Dimensions

|            |        |
|------------|--------|
| Length (b) | 180 mm |
| Width (a)  | 70 mm  |

#### General

|                 |                                    |
|-----------------|------------------------------------|
| Color           | black                              |
| Compression     | Square crimp                       |
| Type of contact | Insulated and uninsulated ferrules |
| Designation     | Crimping position 1                |

# Crimping pliers - CRIMPFOX CENTRUS 10S - 1213154

## Technical data

### General

|                    |                      |
|--------------------|----------------------|
| Min. cross section | 0.14 mm <sup>2</sup> |
| Max. cross section | 10 mm <sup>2</sup>   |
| AWG min            | 26                   |
| AWG max            | 8                    |

## Classifications

### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 5.0 | 21040301 |
| eCl@ss 5.1 | 21040301 |
| eCl@ss 6.0 | 21043811 |
| eCl@ss 8.0 | 21049090 |

### ETIM

|          |          |
|----------|----------|
| ETIM 4.0 | EC000168 |
| ETIM 5.0 | EC000168 |

## Approvals

### Approvals

---

### Approvals

### EAC

---

### Ex Approvals

---

### Approvals submitted

---

### Approval details

|     |
|-----|
| EAC |
|-----|

---