



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



**Device markers
CC 85/54 04MM MC NE GE**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com



ClipCard 04mm MC are device markers in MultiCard format. These special versions can be easily fixed using screws or rivets through the 4.2 mm holes drilled on both sides.

General ordering data

| | |
|------------|--|
| Order No. | 1248490000 |
| Type | CC 85/54 04MM MC NE GE |
| Version | Device markers, MultiCard, 85 x 54 mm, Polyamide 66, Colour: Yellow |
| GTIN (EAN) | 4050118038866 |
| Qty. | 10 pc(s). |

**Device markers
CC 85/54 04MM MC NE GE**

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data
Dimensions and weights

| | | | |
|--------|--------|------------|-------|
| Length | 85 mm | Width | 54 mm |
| Height | 1.2 mm | Net weight | 12 g |

Markings

| | | | |
|--|--------|--|--------------|
| Cadmium | No | Can be labelled with thermal transfer printers | No |
| Can be printed with plotter | Yes | Can be written with dot-matrix printer | No |
| Can be written with laser printer | No | Colour | Yellow |
| Conductor O.D. | | Drill-hole diameter | 4.2 mm |
| Halogen | No | Material | Polyamide 66 |
| Material colour according to resistance code | 4 | Operating temperature range, max. | 100 °C |
| Operating temperature range, min. | -40 °C | Pin can be written (STI) | Yes |
| PrintJet | Yes | Silicone | No |
| Speed marking laser | Yes | UL 94 flammability rating | V-2 |

Classifications

| | | | |
|------------|-------------|------------|-------------|
| eClass 6.2 | 27-14-91-29 | eClass 7.1 | 27-14-91-29 |
|------------|-------------|------------|-------------|

Approvals

| | |
|-----------|---------|
| Approvals | |
| ROHS | Conform |

Device markers
CC 85/54 04MM MC NE GE

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings

Example of use



Product is similar to illustration
