

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China








**ROHS COMPLIANT** 

## PRODUCT DATA DRAWING

REVISION HISTORY				
REV	DESCRIPTION	DATE	APPROVED	
-	DCN 37960	01/11	STW	



BODY & **BUSHING:** 

GOLD PER ASTM B488, TYPE II, CODE C, CLASS 1.27, ÓVER NIĆKEL

PER AMS-QQ-N-290, CLASS 1, .00005" MIN.

**CENTER PIN &** 

GOLD PER ASTM B 488, TYPE I, **OUTER RING:** 

CODE C, CLASS 1.27, OVER NICKEL PER AMS-QQ-N-290, CLASS 1, .00005" MIN.

## PERFORMANCE:

IMPEDANCE: 50 OHMS

FREQ. RANGE: DC TO 26.5 GHz VSWR: 1.25:1 DC TO 18.0 GHz

TEMP. RATING: -65°C TO +165°C

1.35:1 DC TO 26.5 GHz

MATERIAL:	SEE NOTES	
FINISH:	SEE NOTES	
SURFACE AR	EA: N/A	
PROPRIETARY		
IS THE SOLE P ANY REPRODU WITHOUT THE	TION CONTAINED IN THIS DRAWING ROPERTY OF SV MICROWAVE, INC JCTION IN PART OR AS A WHOLE WRITTEN PERMISSION OF /E, INC IS PROHIBITED.	

SEE NOTES	DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL: +1/64 ANGULAR: X° +1°0	
INISH: SEE NOTES	DECIMAL: X ±.030 .XX +.010	
URFACE AREA: N/A	.XXX ±.005  INTERPRET DIMENSIONS AND TOLERANCES	
PROPRIETARY	PER ASME Y14.5M - 1994	
THE INFORMATION CONTAINED IN THIS DRAWING	THIRD ANGLE PROJECTION	

PER ASME Y14.5M - 1994	7) REMOVE AL
THIRD ANGLE PROJECTION	DRAWN
	CHECK

UNLESS OTHERWISE SPECIFIED	
1) ALL DIMENSIONS ARE IN INCHES [MILLIMETERS] 2) ALL DIMENSIONS ARE AFTER PLATING. 3) BREAK CORNERS & EDGES .005 R. MAX.	
4) CHAM. 15T & LAST THREADS. 5) SURFACE ROUGHNESS 63=MIL-STD-10. 5) DIA.'S ON COMMON CENTERS TO BE CONCENTRIC	TITLE:

FED 01/18/11 N: KED: STW 01/18/11 APPROVED: STW 01/18/11

## SV Microwave, Inc.

2400 Centrepark West Drive, Suite 100 West Palm Beach, FL 33409

SMP MALE, THREADED HERMETIC FD SHROUD FEED THROUGH CONNECTOR

	CI7E	CAGE CODE	DMC	NO		
l	B	95077	DWG.	NO.	1279-40	01
	SCALE: 12:1					SHEET 1 C