

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China











LM Microphone Arms

LM Microphone Arms - 41 in. (1040 mm) or 25 in. (635 mm) external spring-loaded arm. Models are designed for microphones that weigh between 1 - 3 lbs. (.45 - 1.36 kg.).



- 41 in. (1040 mm) or 25 in. (635 mm) external spring arm
- Mounting options sold separately
- Colors: Black, Light Grey

Colors:





CODES

LM-1 MICROPHONE ARMS

Article Number	Voltage	Arm Length (Ctn. Load Capacity Colors
13001BK	OV	41.0 in/1041 mm I	1.0 lb
13001LG	0V	41.0 in/1041 mm I	1.0 lb
13051BK	0V	41.0 in/1041 mm I	3.0 lb
13051LG	0V	41.0 in/1041 mm I	3.0 lb
13052BK	0V	41.0 in/1041 mm I	1.5 lb
13054BK	0V	41.0 in/1041 mm I	1.5 lb
13055BK	0V	41.0 in/1041 mm 1	2.4 lb

LM-2 MICROPHONE ARMS

Article Number	Voltage	Arm Length Ct	n. Load Capacity Color
13003BK	0V	25.0 in/635 mm I	I.0 lb
13003LG	0V	25.0 in/635 mm I	I.0 lb
13102BK	0V	25.0 in/635 mm I	1.5 lb
13104BK	0V	25.0 in/635 mm I	2.0 lb
13106BK	0V	25.0 in/635 mm I	2.4 lb
13110BK	0V	25.0 in/635 mm I	3.0 lb

ACCESSORIES

DESIGNATION

 Riser Bracket
 50006BK

 C Surface Mount Bracket
 50005

 B Wall Mount Bracket
 50003

 A Edge Mount Bracket
 60001