



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832


Email & Skype: info@chipsmall.com Web: www.chipsmall.com




Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Cable Lug 32/35 mm DIN-Rail Terminals

Feed Through



Available Options	Version	SS 6	SS 8	SS 10	SS 12				
	KrG	0498220000 0649820000	0498100000 1331900000	0484900000 1332000000	0498300000 1332100000				
For TS 35 x 7	PA								
For TS 35 x 15/2-3	PA								
Dimensions									
Width / Length / Height mm (in.) with TS 35 x 7.5	↖	18/49.5/54.5 (.71/1.95/2.15)	36.5/60/68 (1.44/2.36/2.68)	36.5/60/68 (1.44/2.36/2.68)	36.5/60/72 (1.44/2.36/2.84)				
with TS 32	↗	18/40/62 (.71/1.58/2.44)	36.5/60/68 (1.44/2.36/2.68)	36.5/60/68 (1.44/2.36/2.68)	36.5/60/72 (1.44/2.36/2.84)				
Technical Data									
Rated voltage / rated current / conductor size	UL								
	CSA								
	VDE	400 V* / 76 A / 16 mm²	1500 V* / 125 A / 35 mm²	1000 V* / 192 A / 76 mm²	1000 V* / 232 A / 95 mm²				
Rated voltage / rated current / cross-section									
Continuous Currents									
of the terminals at max. conductor cross-section	A								
with cross-connection QL/Q 2 - 5 poles	A								
with cross-connection QL/Q 6 - 10 poles	A								
with VL 2	A								
Test voltage	k VAC								
Torque	Nm (lb. in.)								
Clamping screw	M								
End Plate (thickness mm)		Type	Part No.	Type	Part No.	Type	Part No.	Type	Part No.
		AP/TW(2)	1333200000	AP/TW(2)	1333200000	AP/TW(2)	1333200000	AP/TW(2)	1333200000
Partition (thickness mm)									
		KrG	TW/HGW (2) 0607100000	0455860000	0455860000	0455860000	0455860000		
		PA		0133200000	0133200000	0133200000	0133200000		
Jumpers									
									
Note: Final number in model indicates no. of poles (e.g. QL 2 = 2 poles). For additional information, see Accessories section.		QL 2	0284300000						
		QL 3	0273000000	QL 3	1578850000	QL 3	1578850000		
		QL 4	2159500000						
Marking Tags		Print							
Note: Part numbers shown are for a single card of pre-printed tags numbered 1-50. For additional information, see Accessories section.		Consecutive horizontal	DEK 5/5 0473460001	DEK 5/5 0473460001	DEK 5/5 0473460001	DEK 5/5 0473460001	DEK 5/5 0473460001		
		Consecutive vertical	DEK 5/5 0473560001	DEK 5/5 0473560001	DEK 5/5 0473560001	DEK 5/5 0473560001	DEK 5/5 0473560001		

See Accessories section for mounting rails, end brackets, test taps, additional marking material and accessories.