



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China




THIS DRAWING IS UNPUBLISHED  
 VERTRAULICHE UNVERÖFFENTLICHTE ZEICHNUNG  
 © COPYRIGHT 2009


RELEASED FOR PUBLICATION  
 FREI FUER VERÖFFENTLICHUNG  
 2008 - 2009  
 ALL RIGHTS RESERVED.  
 ALLE RECHTE VORBEHALTEN

MATED WITH:  
 PASSEND ZU:  
 LOC IR  
 DIST -

REVISIONS ÄNDERUNGEN		DESCRIPTION BESCHREIBUNG	DATE	DWN	APVD
P	LTR				
	B	PN 1394431-3 RELEASED	02DEC2010	PKS	MP
	B1	-1 AND -2 VERSIONS RELEASED FOR GENERAL SALES	19AUG2011	PKS	RRP
	B2	1- VERSIONS ADDED, REELING INFO ADDED	24JAN2013	PKS	TK



- 6 REELING PER FIG 2  
Aufwickeln nach Bild 2
- 5 REELING PER FIG 1  
Aufwickeln nach Bild 1
- 4 Materialdicke  
0.32 ± 0.012mm  
STOCK THICKNESS
- Schlitz geeignet fuer:  
Lackdraht, einzel Ø0.40...0.63mm  
oder 2 Draehte gleichen Durchmessers Ø0.40...0.56mm  
oder 2 Aluminiumdraehte gleichen Durchmessers Ø0.50...0.84
- 3 SLOT ACCEPTS:  
SINGLE Ø0.40...0.63mm  
OR DOUBLE MAGNET WIRE  
SAME DIAMETERS Ø0.40...0.56mm.  
OR DOUBLE ALUMINIUM WIRE  
SAME DIAMETERS Ø0.50...0.84
- 2 Kontaktkammer nach Zeichnung Nr.411-18517  
CONTACT CAVITY ACCORDING  
DRAWING No.411-18517
- 1 Kennziffer fuer Lackdrahtbereich (10)  
IDENTIFICATION NO. FOR MAGNET WIRE RANGE (10)




FEED 5.0 ± 0.08

SEE SHEET 2 FOR TABLE

THIS DRAWING IS A CONTROLLED DOCUMENT. DIESES ZEICHNUNGSDOKUMENT WIRD DURCH AMP INCORPORATED KONTROLLIERT. ÄNDERUNGEN, DIE DEM TECHNISCHEN FORTSCHRITT DIENEN, SIND VORBEHALTEN. DEN JEWEILS LETZTGEÜLTIGEN ÄNDERUNGSSTAND ERFAHREN SIE AUF ANFRAGE.		DWN H.Ballmert 27FEB2008	TE Connectivity		
DIMENSIONS: MASSEINHEITEN: mm		CHK S.Zabeck 27FEB2008			
TOLERANCES UNLESS OTHERWISE SPECIFIED: ALLGEMEINTOLERANZEN		APVD T.Klenner 27FEB2008	NAME MAG-MATE CONTACT RAST 5 D		
		PRODUCT SPEC PRODUKTSPEZ. -	RESTRICTED TO NUR FUER -		
MATERIAL		APPLICATION SPEC VERARBEITUNGSSPEZ. -	SIZE A3	CAGE CODE 00779	DRAWING NO ZEICHNUNGS-NR. C=1394431
SEE TABLE		FINISH/OBERFLAECHE/FARBE	SCALE MASSSTAB 5:1		SHEET BLATT 1 OF VON 2
		SEE TABLE	Customer Drawing		REV B2

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 2009  
 © COPYRIGHT 2009 - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
IR	-	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-



△6	VERZINNT / TIN	CuZn	B	1-1394431-3
△6	PRETINNED vorverzinkt	CuZn	B	1-1394431-2
△6	PRETINNED vorverzinkt	CuNiSi	B	1-1394431-1
△5	VERZINNT / TIN	CuZn	B	1394431-3
△5	PRETINNED vorverzinkt	CuZn	B	1394431-2
△5	PRETINNED vorverzinkt	CuNiSi	B	1394431-1
REMARKS Bemerkungen	SURFACE Oberflaeche	MATERIAL Material	REV.	PART NUMBER Bestellnummer

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN SENTHIL 24 JAN 2013	TE Connectivity				
DIMENSIONS: mm		CHK RAJENDRA 24 JAN 2013			NAME MAG-MATE CONTACT RAST 5 D		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD T. KLENNER 24 JAN 2013					
		PRODUCT SPEC	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO	
MATERIAL		APPLICATION SPEC	A3	00779	1394431	-	
SEE TABLE		FINISH	Customer Drawing		SCALE 5:1	SHEET 2 OF 2	REV B2