



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## Patch panels - VS-PP-F-RJ45-10G - 1403154

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Patch panel, RJ45, DIN rail mounting, IP20, 1 slot, IDC connection, CAT6<sub>A</sub>

### Why buy this product

- DIN rail mounting



### Key Commercial Data

Packing unit	1 STK
Custom tariff number	85366990
Country of origin	Switzerland

### Technical data

#### Mechanical characteristics

Number of positions	8
Number of slots	1
Shielded	yes
Insertion/withdrawal cycles	≥ 750
Connection method	IDC fast connection
Color	gray
Mounting type	DIN rail mounting

#### Ambient conditions

Ambient temperature (operation)	-10 °C ... 60 °C
Ambient temperature (storage/transport)	-40 °C ... 70 °C
Degree of protection	IP20

## Patch panels - VS-PP-F-RJ45-10G - 1403154

### Technical data

#### Material data

Flammability rating according to UL 94	V0
Housing material	PC-GF
Contact carrier material	PC
Contact material	Copper alloy
Contact surface material	Gold over nickel

#### Electrical characteristics


Number of positions	8
---------------------	---

#### Standards and Regulations

Flammability rating according to UL 94	V0
--	----

### Drawings

Dimensional drawing



### Classifications

#### eCl@ss

eCl@ss 5.1	27141190
eCl@ss 6.0	27260705
eCl@ss 8.0	27060308
eCl@ss 9.0	27060308

#### ETIM

ETIM 5.0	EC002599
----------	----------

### Approvals

#### Approvals

Approvals

EAC

## Patch panels - VS-PP-F-RJ45-10G - 1403154

### Approvals

---

Ex Approvals

---

Approvals submitted

---

### Approval details

EAC
-----

---