

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









## Double locking latch - HC-B10-24-DL-PLBK - 1407696

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Replacement double locking latch for HEAVYCON EVO housing, HC-B10/HC-B16/HC-B24, PA



### **Key Commercial Data**

Packing unit	1 pc
Minimum order quantity	10 pc
Weight per Piece (excluding packing)	12.0 g
Custom tariff number	85389099
Country of origin	Poland

### Technical data

#### Ambient conditions

Ambient temperature (operation)	-40 °C 100 °C
---------------------------------	---------------

#### General

Туре	B10 - B24
Locking latch material	PA
Flammability rating according to UL 94	V0
Color	black

### Standards and Regulations

Flammability rating according to UL 94	V0

### Classifications

### eCl@ss

eCl@ss 4.0	272607xx
eCl@ss 4.1	27260701



# Double locking latch - HC-B10-24-DL-PLBK - 1407696

### Classifications

### eCl@ss

eCl@ss 5.0	27143424
eCl@ss 5.1	27143424
eCl@ss 6.0	27260704
eCl@ss 7.0	27440402
eCl@ss 8.0	27440202

#### **ETIM**

ETIM 3.0	EC000796
ETIM 4.0	EC000437
ETIM 5.0	EC000437

### UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

### Approvals

Approvals	3
-----------	---

Approvals

EAC

Ex Approvals

Approvals submitted

Approval details


EAC

### Drawings



# Double locking latch - HC-B10-24-DL-PLBK - 1407696

### Dimensional drawing



Dimensional drawing

Phoenix Contact 2016 © - all rights reserved http://www.phoenixcontact.com