



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Panel mounting base - HC-MOD-K-AFS-PE - 1408533

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Plastic panel mounting base for modules for a module slot, with PE marking for pos. 1, for snap locking

Key commercial data

Packing unit	0
Minimum order quantity	2
Catalog page	Page 555 (PC-2011)
GTIN	 4 046356 619271
Custom tariff number	85389099
Country of origin	GERMANY

Technical data

General data

Height	22.4 mm
Width	21.8 mm
Length	54 mm
Color	light gray
Locking type	for snap locking
Screw connection	None
Degree of protection for housing	IP65 protection when the connector is inserted
Ambient temperature (operation)	-40 °C ... 85 °C
Housing material	polycarbonate
Inflammability class according to UL 94	V0
Length of the assembly cutout	37 mm
Width of the assembly cutout	18 mm
Assembly instructions	For housing with PE marking, pos. 1 of the module is used as PE

Classifications

eclass

eCl@ss 4.0	23090101
eCl@ss 4.1	23090101

Panel mounting base - HC-MOD-K-AFS-PE - 1408533

Classifications

eclass

eCl@ss 5.0	23090101
eCl@ss 5.1	23090101
eCl@ss 6.0	23090101
eCl@ss 7.0	23090101

etim

ETIM 4.0	EC000437
----------	----------

unspsc

UNSPSC 6.01	31161807
UNSPSC 7.0901	31161807
UNSPSC 11	31161807
UNSPSC 12.01	31161807
UNSPSC 13.2	31161807

Accessories

Accessories


Coding profile - HC-MOD-K-CP - 1408562



Coding profile for HC-MOD-K... housing


Drawings

Dimensioned drawing



Dimensional drawing

Dimensioned drawing



Panel cutout