

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









Protective covers - HC-B16-BCSFS-P-BK - 1414626

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



HEAVYCON protective covers, B16, for HC-EVO-B16... supporting base element, for single locking latch, with retaining cord with combination eyelet, IP54

No hazardous substances above threshold values

Plastic protective cover for short-term protection

Protective cover for supporting base element with single locking latch



Key Commercial Data

Packing unit	1 STK
Minimum order quantity	10 STK
Custom tariff number	85389099
Country of origin	Germany

Technical data

China RoHS

Note Connection

Environmental Product Compliance

Ambient conditions				
Ambient temperature (operation)	-20 °C 100 °C			
General				
Size	B16			
Material	PA			
Flammability rating according to UL 94	НВ			
Seal present	no			

Standards and Regulations


Flammability rating according to UL 94	НВ	



Protective covers - HC-B16-BCSFS-P-BK - 1414626

Drawings

Dimensional drawing



Dimensional drawing

Classifications

eCl@ss

eCl@ss 5.1	23110102
eCl@ss 6.0	23110102
eCl@ss 8.0	27440208
eCl@ss 9.0	27440208

ETIM

ETIM 5.0	EC002314

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approvals submitted

Approval details

EAC



Phoenix Contact 2016 © - all rights reserved http://www.phoenixcontact.com