Chipsmall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!

Contact us

PHŒNIX CONTACT

Screw plug - A-INSP-PG29-65N-P-LG - 1424525

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)

Screw plug, cable gland material: PA, PA, connecting thread: Pg29, color: lightgrey RAL 7035

RoHS

Key Commercial Data

Packing unit	10 STK
Minimum order quantity	10 STK
GTIN	4 055626 374307
GTIN	4055626374307

Technical data

Dimensions

Length	12 mm
Length without connecting thread	4 mm
Connecting thread diameter	37 mm
Hexagon angular dimension	44 mm (Diameter)
Length of the connecting thread	8 mm

Ambient conditions

Degree of protection	IP65
Ambient temperature (operation)	-40 °C ... 100 °C

General

Material	PA
Cable gland material	PA
Thread type connection side	Pg29
Color	lightgrey RAL 7035

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e

PHŒNIX CONTACT

# Screw plug - A-INSP-PG29-65N-P-LG - 1424525

Technical data

Environmental Product Compliance

	No hazardous substances above threshold values

Drawings

Dimensional drawing

Dimensional drawing

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

EAC	EHC	EAC-Zulassung