



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us


Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



REVISED		REVISIONS			
NO.	DATE	BY	ZONE	DESCRIPTION	DATE
AD	00		C	SEE SHEET ONE	



- 1. 0.00076 [0.00030] MINIMUM GOLD IN CONTACT AREA, 0.00381 [0.00150] MIN TIN-LEAD ON SOLDER TAILS, ALL OVER 0.00127 [0.00050] MINIMUM NICKEL
- 2. DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER
- 3. CONNECTOR REQUIRES USE OF 4 - SIZE 2M SCREWS FOR FASTENING TO PRINTED CIRCUIT BOARD
- 4. RECESSED AMP AND CSA LOGOS LOCATED ON BOTH SIDES OF HOUSINGS.
- 5. ASSEMBLY KEYED FOR 5 VOLT CARDS.
- 6. ASSEMBLY KEYED FOR LOW VOLT CARDS (3.3V).

RECOMMENDED BOARD LAYOUT

VOLTAGE KEYING	1, 17, 34 35, 51, 68	ALL OTHER PINS	3E, 67	146029-2
	1, 17, 34 35, 51, 68	ALL OTHER PINS	3E, 67	146029-1
	5, 0 [0.197]	1, 25 [0.167]	3, 5 [0.138]	
	"_" (PIN LENGTH) AND _LOCATION			PAR# NO

DO NOT SCALE PRINT. UNLESS SPECIFIED DIMENSIONS IN mm (INCHES): TOLERANCES ON: 2 PLC DEC ± 0.13 (1.05) 3 PLC DEC ± 0.13 (1.05) ANGLES ± 0.5	DR R/15/93 - ROSSER	AMP Incorporated Harrisburg, PA 17105-3006
MATERIAL -	CHC E/30/93 B ELICKER APD E/30/93 B ELICKER PRODUCT SPEC -	
FINISH -	APPLICATION SPEC -	NAME CONNECTOR A35V, 5-TACKED PIN HEADER WITH LH EJECTOR, 136 POSN, TOP BD MTG, THRU-HOLE, AMP MEMORY CARD
WEIGHT -	SIZE 00779 SCALE 4:1	DRAWING NO. 146029 SHEET 2 OF 2

THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.

CUSTOMER DRAWING