

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China

INVENTORS





HellermannTyton®

ALL PROPRIETARY RIGHTS IN THE SUBJECT MATTER SHOWN ON THIS DRAWING ARE EXCLUSIVE PROPERTY OF HELLERMANNTYTON

name	date	city, state
SJA	3/28/2005	MENOMONEE FALLS, WI.

NOTES

PERFORMANCE REQUIREMENTS AT DRY AS MOLDED:
 1. FIR TREE PUSH IN FORCE: 30 lbs MAX IN A 8.0mm X 15.0mm
 HOLE AND A SHEET METAL THICKNESS OF 1.0mm
 2. FIR TREE PULL OUT FORCE: 55 lbs MIN IN A 8.0mm X 15.0mm
 HOLE AND A SHEET METAL THICKNESS OF 1.0mm
 3. PANEL THICKNESS RANGE: 0.70mm - 6.35mm
 4. CLIP TO CONNECTOR PUSH ON FORCE: 13.48 lbs MAX.
 5. CLIP TO CONNECTOR PULL OFF FORCE: 24.73 lbs MIN.

**PATENT PENDING****ISOMETRIC VIEW**

06

R E V I S I O N	D I M E N S I O N S	T O L E R A N C E S unless otherwise specified	P A R T	number name FLUSH MOUNT CONNECTOR CLIP (8mm X 15mm RECTANGULAR HOLE) material IMPACT MODIFIED, HEAT STABILIZED COLOR: BLACK	FORMAT AV version J computer file number DRAWN S. ADAMS checked G. GEIGER 3/28/05 9/29/05 type CUSTOMER sheet 1 of 1 number MT1028003CST
part level D	units metric				

Product Number
Cross Reference Record

Uncontrolled Document

Pre-UNS Number System	(New) UNS Universal Number System	Customer Part Number
Product Number	Product Number	Product Number
CC03	151-00496	-

Reference Drawing Number: **MT1028003CST**

Issued By:	(New) UNS Product Number	Issue Date:
HellermannTyton	Universal Numbering System	February 16, 2011