



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com


Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China






SW2015



Revision level			Revision Record	Changed	Date	Approved	Date
Drawing	State	Part					
02.1	Design Release	-	SEE ECN# 013709	CTF	2/7/2017	JPG	2/7/2017



SCALE 1:1



02.1

**Notes**  
 1. TAPE MAY BE FLUSH OR EXTEND BEYOND THE EDGE OF THE MOUNT  
 2. TAPE MAY BE FLUSH OR INSIDE THE MOUNT EDGE  
 3. SHELF LIFE IDENTIFIED ON: LOCATION TBD  
 4. MOUNTING SURFACE, APPLYING ADHESIVE TO, IS CLEAN, DRY, AND FREE OF GREASE AND OIL. IT IS RECOMMENDED TO USE 50:50 MIXTURE OF IPA (ISOPROPYL ALCOHOL) AND WATER PRIOR TO APPLYING  
 5. STORE PRODUCT IN ITS ORIGINAL PACKAGING BETWEEN 50°F TO 86°F (10°C TO 30°C) AND 50% OF RELATIVE HUMIDITY, OUT OF DIRECT SUNLIGHT  
 6. STORE PRODUCT IN ITS ORIGINAL PACKAGING BETWEEN 40°F TO 100°F (4°C TO 38°C) AND 0-95% RELATIVE HUMIDITY. THE OPTIMUM STORAGE CONDITIONS ARE 72°F (22°C) AND 50% RELATIVE HUMIDITY OUT OF DIRECT SUNLIGHT.

**Material**  
 SEE CHART ON SHEET 2

**Units:** inches  
 Dimension without tolerances details to:  
 .xxxx = ±.0005  
 .xxx = ±.005  
 .xx = ±.01  
 .x = ±.03  
 None = ±.06  
 < = ±0.5°  
 Dimension Formatted in/[mm]


The copyright of this drawing is reserved by HellermannTyton. It is issued on condition that it is not reproduced, copied, or disclosed to a third party, either wholly or in part, without the consent of HellermannTyton.

Drawn: KEP, 4/13/2016  
 Approved: JPG, 4/13/2016  
**HellermannTyton**  
 North America  
 Email: corp@htamericas.com  
 Web: www.hellermann.tyton.com


Article/Type-No: SEE CHART SHEET 2  
 Title: MOUNTING BASE, 4 WAY, MB4, SELF-ADHESIVE  
 Drawing-No: 16-0339-001-CSU  
 PRODUCTION : Phase

Scale: 3:1  
 Project Number: PRP16-0339  
 Format: B  
 Sheet: 1/2

SW2015



Revision level			Revision Record	Changed	Date	Approved	Date
Drawing	State	Part					
02.1	Design Release	-	SEE ECN# 013709	CTF	2/7/2017	JPG	2/7/2017



SCALE 1:1

TYPE NAME	T ±0.005	E ±0.030	STORAGE CONDITIONS	MOUNTING METHOD	MOUNT MATERIAL	02.1		CABLE TIE SERIES
						COLOR	PART NUMBER	
MB4	N/A	N/A	N/A	#8 SCREW (NOT INCLUDED)	PA66	BLACK		T18 THRU T50
						IVORY		
						WHITE		
						02.1	PA66HIRHSUV	
02.1	PA66UV	BLACK						
MB4A	0.036	0.134	SEE NOTE 5	241-001-02 RUBBER FOAM TAPE	PA66	BLACK		
						IVORY		
						WHITE		
						02.1	PA66UV	
	02.1	SEE NOTE 6	URAD4PX5011E ACRYLIC FOAM TAPE	PA66	BLACK			
	0.045	0.130	SEE NOTE 6	241-002-03 ACRYLIC FOAM TAPE	PA66	BLACK		
						IVORY		
						WHITE		
02.1						0.045	0.130	SEE NOTE 6
02.1	0.045	0.130	SEE NOTE 6	URAD45952E ACRYLIC FOAM TAPE	PA66UV	BLACK		

Notes  
SEE SHEET 1

Material  
SEE CHART

Units: inches  
Dimension without tolerances details to:  
.xxxx = ±.0005  
.xxx = ±.005  
.xx = ±.01  
.x = ±.03  
None = ±.06  
∠ = ±0.5°  
Dimension Formatted in/[mm]

The copyright of this drawing is reserved by HellermannTyton. It is issued on condition that it is not reproduced, copied, or disclosed to a third party, either wholly or in part, without the consent of HellermannTyton.

Drawn: KEP 4/13/2016  
Approved: JPG 4/13/2016  
**HellermannTyton**  
North America  
Email: corp@htamericas.com  
Web: www.hellermann.tyton.com

Article/Type-No: SEE CHART SHEET 2  
Title: MOUNTING BASE, 4 WAY, MB4, SELF-ADHESIVE  
Drawing-No: 16-0339-001-CSU  
PRODUCTION : Phase

Scale: 3:1  
Project Number: PRP16-0339  
Format: B  
Sheet: 2/2