

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









Professional Silicone-Tip Solder Sucker

PRODUCT ID: 1597



Description

Ever go to a diner and they give you a bottle of ketchup and it says "Extra Fancy" and you're thinking to yourself "what makes this ketchup 'extra fancy' anyhow?" Well, this professional grade solder sucker is "Extra Fancy" and there's no question as to why. When you hold its machined aluminum body, you'll think "Fancy!", the smooth action and release is also "Fancy" and the replacable silicone rubber tip? "Extra Fancy!"

This Japanese upgrade to the classic \$5 solder sucker is a joy to use. Since the tip is rubbery soft silicone you don't have to worry about it melting. You also get a long tube in case it gets clogged or dirty.

To use, depress the end to engage the vacuum. Then heat up the to-be-desoldered joint until it is liquid. With your other hand hold the plastic tip as close as possible to the joint and depress the button to suck up all the liquid solder. If necessary, clean up the remaining solder with wick.

Technical Details

O Dimensions: 8.1 x 3.4 x 0.7 inches

Weight: 52gCylinder Capacity: 9cc

