



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!




Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





General ordering data

Order No.	1610700000
Part designation	WKM 18/43
Version	Conductor markers, L x W: 43 x 18 mm, Polypropylene, transparent
EAN	4008190204488
Qty.	50 pc(s).

Markings

Cadmium	no
Can be labelled with thermal transfer printers	No
Can be printed with plotter	No
Can be written with dot-matrix printer	No
Can be written with laser printer	No
Conductor O.D., max.	317 mm
Conductor O.D., min.	10 mm
Conductor cross-section, max.	150 mm ²
Conductor cross-section, min.	16 mm ²
Function	Conductor and cable markers
Halogen	no
Height	3.5 mm
Insulation cross-section, max.	40 mm
Length	43 mm
Material	Polypropylene
Material colour	transparent
Max. temperature, continuous	80 °C
Min. temperature, continuous	-40 °C
Pin can be written (STI)	No
PrintJet	No
Printed characters	without
Silicone	no
Speed marking laser	No
Type of printing	Neutral
UL 94 flammability class	HB
Width	18 mm

Markings

Approvals

Approvals institutes **n.a.**

Classifications

ETIM 2.0	EC001530
ETIM 3.0	EC001530
eClass 4.1	24-19-02-19
eClass 5.0	27-14-91-03
eClass 5.1	27-14-91-03

Similar products

Order No.	Part designation	Version
1753490000	WKM 8/20	Conductor markers, L x W: 20 x 8 mm, Polypropylene, transparent
1631910000	WKM 8/30	Conductor markers, L x W: 30 x 8 mm, Polypropylene, transparent