mail

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Crimp contact - SF-20KS022 - 1621577

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)

Crimp contact, turned, Contact diameter: 2 mm, Crimp range: 1.5 mm²...2.5 mm²



Why buy this product

- ☑ Crimping connection: vibration- and temperature-resistant assembly
- High tensile strength of the connection
- ☑ Low contact resistance
- Easy production monitoring



Key Commercial Data

| Packing unit | 50 STK |
|------------------------|-----------------|
| Minimum order quantity | 50 STK |
| GTIN | 4 046356 937238 |
| GTIN | 4046356937238 |

Technical data

General

| Insertion/withdrawal cycles mechanical | 100 |
|--|---------------------|
| Contact connection method | Crimp connection |
| Type of contacts | Socket |
| Contact diameter of power contacts | 2 mm |
| Litz wire cross section of power contacts min. | 1 mm ² |
| Litz wire cross section of power contacts max. | 2.5 mm ² |

Environmental Product Compliance


| China RoHS | Environmentally Friendly Use Period = 50 |
|------------|---|
| | For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration" |



Crimp contact - SF-20KS022 - 1621577

Drawings

Dimensional drawing



Phoenix Contact 2017 © - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany Tel. +49 5235 300 Fax +49 5235 3 41200 http://www.phoenixcontact.com