



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## Protective covers - EV-GBSC - 1623416

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Self-closing hinged cover for Infrastructure Socket Outlet, GB/T, Type 2, GB/T 20234.2, IEC 62196-2, Front mounting, on the right or left of the Infrastructure Socket Outlet

### Product Description

Self-closing hinged cover for Infrastructure Socket Outlet

### Why buy this product

Certified in accordance with IATF 16949:2016 and ISO 9001:2015

### Key Commercial Data

Packing unit	1 STK
GTIN	4 055626 242903
GTIN	4055626242903

### Technical data

#### Product definition

Product type	Self-closing hinged cover for Infrastructure Socket Outlet
Type	Hinged cover screw connection at the rear
Standards/regulations	GB/T 20234.2
	IEC 62196-2
Charging standard	GB/T
	Type 2
Charging mode	Mode 3, Case B

#### Dimensions

Height	76.6 mm
Width	76.6 mm
Depth	24.7 mm
Bore dimensions	60 mm

# Protective covers - EV-GBSC - 1623416

## Technical data

### Ambient conditions

Ambient temperature (operation)	-30 °C ... 50 °C
Ambient temperature (storage/transport)	-40 °C ... 80 °C
Degree of protection	IP54

### Mechanical properties

Cover mechanism	Self-closing
-----------------	--------------

### Mounting

Possible mounting positions	Front mounting, on the right or left of the Infrastructure Socket Outlet
Mounting hole diameter	4.30 mm (ø)

### Design

Design line	Standard
Housing color	black
Label	14.1 mm x 44.8 mm (customer logo on request)

### Material


Material	Plastic
----------	---------

### Environmental Product Compliance


REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 10;
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

## Drawings

Dimensional drawing



Dimensional drawing




Dimensional drawing

Hole image

## Protective covers - EV-GBSC - 1623416

Schematic diagram



Front mounting with rear hinged cover screw connection

Front mounting is only possible when the locking actuator is removed. The screw connection for a hinged cover from the accessories range (EV-GBSC...) only supports rear mounting.

---

Phoenix Contact 2018 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>