



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832


Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China




| LOC | | DIST | | REVISIONS | | | |
|-----|-----|-----------------|---------|-----------|------|--|--|
| P | LTR | DESCRIPTION | DATE | DMN | APVD | | |
| A | | INITIAL RELEASE | 31MAR11 | RC | CW | | |


CONNECTOR ASSEMBLY EXAMPLARY LOADED 8




CONTACT DIMENSIONS SCALE 5:1



CONTACT LAYOUT



RECOMMENDED PCB-HOLE LAYOUT COMPONENT SIDE SHOWN





PLATED THRU HOLES PARAMETERS REFERENCE APPLICATION SPECIFICATION

| | | | | | |
|--|--|---------------------------|--|--|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DIN RAYMOND CAO 31MAR11 | | 1645562-1 | |
| DIMENSIONS: mm | | CHK SANDERS YAN 31MAR11 | | FINISH | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APPD MANQIAN WANG 31MAR11 | | PART NUMBER | |
| 0-PLC ± | | NAME | | MALE ASSEMBLY, Z-PACK 2mm HM, TYPE B, 12 ROW | |
| 1-PLC ± 0.1 | | PRODUCT SPEC | | 108-1738 | |
| 2-PLC ± | | APPLICATION SPEC | | 114-1132 | |
| 3-PLC ± | | SIZE | | A1 | |
| 4-PLC ± | | CAGE CODE | | 00779 | |
| ANGLES ± | | DRAWING NO | | 1645562 | |
| MATERIAL | | WEIGHT | | CUSTOMER DRAWING | |
| FINISH SEE TABLE | | SCALE | | 4:1 | |
| | | SHEET | | 1 OF 2 | |
| | | REV | | A | |

| LOC | DIST | REVISIONS | | | |
|-----|------|-------------|------|-----|------|
| IF | LTR | DESCRIPTION | DATE | DRN | APVD |
| - | - | SEE SHEET 1 | - | - | - |

- 1 MATERIAL:
CONTACT: PHOSPHOR BRONZE.
HOUSING: GLASS-FILLED POLYESTER.
- 2 GENERAL PLATING SPECIFICATION: UNDERPLATING
(ENTIRE CONTACT): 1.27µm MIN NICKEL AND ACTION
PIN: 0.5µm MIN TIN.
FOR PLATING OF MATING SURFACES SEE APPLICABLE
SPECIFICATION REFERENCE FOR EACH DASH NUMBER.
- 3 CONFORMS TO ALL TESTING ACCORDING TO IEC 61076-4-101
PERFORMANCE LEVEL 2.
- 4 CONFORMS TO ALL TESTING ACCORDING TO IEC 61076-4-101
PERFORMANCE LEVEL 1.
- 5 CONNECTOR TESTED AND QUALIFIED AGAINST TELCORDIA GR-1217-CORE QUALITY LEVEL 3,
CENTRAL OFFICE APPLICATIONS.
- 6 CONNECTOR TESTED AND QUALIFIED AGAINST TELCORDIA GR-1217-CORE QUALITY LEVEL 3,
UNCONTROLLED ENVIROMENT APPLICATIONS.
- 7 PLATED-THROUGH HOLES AT 2x1.5mm SQUARE GRID
PATTERN DEFINED BY CONTACT LAYOUT.
- 8 FOR ACTUAL PIN LOADING SEE "CONTACT LAYOUT".
- 9 FOR ACTUAL PIN DIMENSIONS SEE "CONTACT DIMENSIONS".
- 10 TO BE MEASURED AT BOTTOM OF SHROUD.
- 11 CONNECTOR LUBRICATED WITH BELCORE APPROVED LUBRICANT,
TECHNICAL REFERENCE: TR-NWT-001217 ISSUE 1, SEP 1992.
- 12 CONNECTOR PRINTED WITH PART NUMBER AND DATE CODE,
LOCATED APPROXIMATELY AS SHOWN.

| | | | | | |
|---|--|--|--|--|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN RAYMOND CAO 31MAR11 CHK SANDERS YAN 31MAR11 | |  | |
| DIMENSIONS: mm | | TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.2 | | | |
|  | | 0-PLC ± 1-PLC ±0.1 2-PLC ± 3-PLC ± 4-PLC ± ANGLES ± | | APD MANQIAN WANG 31MAR11 NAME MALE ASSEMBLY, Z-PACK 2mm HM, TYPE B, 12 ROW | |
| MATERIAL SEE SHEET 1 | | FINISH SEE SHEET 1 | | PRODUCT SPEC 108-1738 APPLICATION SPEC 114-1132 SIZE A1 CAGE CODE DRAWING NO 00779 ©=1645562 WEIGHT - RESTRICTED TO - | |
| | | CUSTOMER DRAWING | | SCALE 4:1 SHEET 2 OF 2 REV A | |