

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









# HDC enclosures HDC 64D TOBU 1PG21G

#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 16 D-32758 Detmold Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com







The special die-cast alloy and the multi-layered surface sealing provide complete protection for the HDC housings.

The cleverly designed interlock system is manufactured from stainless steel. This guarantees a long lifespan with high resistance to corrosion and impact.

The housing interlock system provides integrated safety. Our unique, patented spring system provides the housing interlock with a secure grip and prevents accidental opening.

The laser marking allows for easy and quick identification. Each housing is permanently labelled with a laser marking so that each product can be quickly designated and positioned.

Weidmüller RockStar® IP 65 / NEMA Type 4X housings - your first choice for industrial housings with IP 65 protection.

#### General ordering data

| Туре       | HDC 64D TOBU 1PG21G  |
|------------|--|
| Order No.  | <u>1661440000</u>  |
| Version    | HDC enclosures, Size: 8, Protection degree: IP 65,<br>Cable entry from top, Plug housing, Side-locking<br>clamp on lower side, high, Size of cable entries: PG<br>21 |
| GTIN (EAN) | 4008190417994  |
| Qty.       | 1 pc(s).   |



#### **HDC** enclosures **HDC 64D TOBU 1PG21G**

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 16 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

### **Technical data**

#### **Dimensions and weights**

| Length     | 120 mm | Width      | 59 mm |
|------------|--------|------------|-------|
| Height     | 76 mm  | Net weight | 333 g |
| Dimensions |        |            |       |

| Total length housing | 120 mm | Width housing C | 43 mm        |
|----------------------|--------|-----------------|--------------|
| Height of housing B  | 76 mm  | Cable entry     | w. threading |

#### **General data**

| Housing main material  | -li + - l i - i   |
|------------------------|-------------------|
| Hollsing main material | diecast aluminium |
|                        |                   |

#### Version

| Internal thread              |              | Design of housing              | Cable entry from top, Plug |
|------------------------------|--------------|--------------------------------|----------------------------|
|                              | PG 21        |                                | housing                    |
| Size                         | 8            | <br>Design                     | high                       |
| Top partottom part/lid       |              | Design of locking system       | Side-locking clamp on      |
|                              | upper part   |                                | lower side                 |
| Cable entry                  | w. threading | Size of cable entries          | PG 21                      |
| Number of cable entry on top | 1            | Number of cable entry sideways | 0                          |

#### Classifications

| ETIM 2.0   | EC000437    | ETIM 3.0   | EC000437    |
|------------|-------------|------------|-------------|
| UNSPSC     | 30-21-18-01 | eClass 4.1 | 40-02-06-14 |
| eClass 5.1 | 27-14-34-19 | eClass 6.2 | 27-26-12-03 |
| eClass 7.1 | 27-44-02-02 |            |             |

#### **Approvals**

Approvals



| ROHS | Conform |
|------|---------|

#### **Downloads**

| PDF       | <u>1661440000 HDC 64D TOBU 1PG21G STP Blatt 1.pdf</u> |
|-----------|---|
| IGES      | <u>1661440000_HDC_64D_TOBU_1PG21G_STP.igs</u>         |
| VRML      | 1661440000 HDC 64D TOBU 1PG21G STP.wrl                |
| EPLAN     | <u>1661440000.MZF</u>                                 |
| 3-D model |   |



### HDC enclosures HDC 64D TOBU 1PG21G

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 16 D-32758 Detmold

Germany Fon: +49 5231 14-0

Fax: +49 5231 14-292083 www.weidmueller.com

### **Drawings**

