imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



HDC enclosures HDC 16A SLU 2PG16G



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 16 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com





The special die-cast alloy and the multi-layered surface sealing provide complete protection for the HDC housings.

The cleverly designed interlock system is manufactured from stainless steel. This guarantees a long lifespan with high resistance to corrosion and impact.

The housing interlock system provides integrated safety. Our unique, patented spring system provides the housing interlock with a secure grip and prevents accidental opening.

The laser marking allows for easy and quick identification. Each housing is permanently labelled with a laser marking so that each product can be quickly designated and positioned.

Weidmüller RockStar® IP 65 / NEMA Type 4X housings - your first choice for industrial housings with IP 65 protection.

General ordering data

Туре	HDC 16A SLU 2PG16G		
Order No.	<u>1665070000</u>		
Version	HDC enclosures, Size: 5, Protection degree: IP 65, Base enclosure, End-locking clamp, lower side, Standard, Size of cable entries: PG 16		
GTIN (EAN)	4008190421779		
Qty.	1 pc(s).		

HDC enclosures HDC 16A SLU 2PG16G

Technical data

Dimensions and weights



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 16 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Dimensions and weights				
Length	96 mm	Width	62.7 mm	
Height	57 mm	Mounting dimension - width	64 mm	
Mounting dimension - height	40 mm	Net weight	219 g	
Dimensions				
Tatal langth hausing	79 mm		29.5 mm	
Total length housing Width base C1	50 mm	Width housing C	29.5 mm 57 mm	
		Height of housing B		
Height of base B1	4 mm	Hole pitch length A2	64 mm	
Cable entry	w. threading			
General data				
Housing main material	diecast aluminium			
Version				
Internal thread	PG 16	Design of housing	Paga analogura	
Internal thread Size	5		Base enclosure Standard	
-	5	Design		
Top partottom part/lid	lower part	Design of locking system	End-locking clamp, lower side	
Cable entry	w. threading	Size of cable entries	PG 16	
Number of cable entry on top	0	Number of cable entry sideways	2	
Classifications				
ETIM 2.0	EC000437	ETIM 3.0	EC000437	
UNSPSC	30-21-18-01	eClass 4.1	27-14-08-05	
eClass 5.1	27-14-34-19	eClass 6.2	27-26-12-03	
eClass 7.1	27-44-02-02			
Approvals				
Approvals				
		ué		
ROHS	Conform	09		
Downloads				
PDF	PDF/1665070000_HDC_16A_SLU_2PG16G_STP_Blatt1.pdf			
IGES	<u>1665070000_HDC_16A_SLU_2PG16G_STP.igs</u>			
VRML	1665070000 HDC_16A_SLU_2PG16G_STP.wrl			
EPLAN	1665070000.MZF			
2 Directed				

3-D model