

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









General ordering data	
Order No.	1680411044
Part designation	TM-I 20 BLANK RT
Version	Conductor markers, L x W: 20 x 4 mm, Polyamide
	66, white
EAN	4008190914769
Qtv.	400 pc(s).

Markings	
Cadmium	no
Can be labelled with thermal transfer printers	No
Can be printed with plotter	Yes
Can be written with dot-matrix printer	No
Can be written with laser printer	No
Conductor O.D., max.	40 mm
Conductor O.D., min.	1 mm
Conductor cross-section, max.	500 mm ²
Conductor cross-section, min.	0.22 mm ²
Function	Conductor and cable markers
Halogen	no
Height	2 mm
Insulation cross-section, max.	40 mm
Length	20 mm
Material	Polyamide 66
Material colour	white
Material colour according to resistance code	9
Max. temperature, continuous	100 °C
Min. temperature, continuous	-40 °C
Pin can be written (STI)	Yes
PrintJet	Yes
Printed characters	without
Silicone	no
Speed marking laser	Yes
Type of printing	Neutral
UL 94 flammability class	V2



Markings	
Width	4 mm
Approvals	
Approvals institutes	n.a.
Classifications	
eClass 4.1	24-19-02-19
eClass 5.0	27-14-91-03
eClass 5.1	27-14-91-03
Similar products	

1680411693	TM-I 20 NEUTRAL	Conductor markers, L x W: 20 x 4 mm, Polyamide 66, Blue
1680411687	TM-I 20 BLANK BL	Conductor markers, L x W: 20 x 4 mm, Polyamide 66, yellow
1680411688	TM-I 20 BLANK GE	Conductor markers, L x W: 20 x 4 mm, Polyamide 66, green
1680411686	TM-I 20 BLANK GN	Conductor markers, L x W: 20 x 4 mm, Polyamide 66, red

