



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: [info@chipsmall.com](mailto:info@chipsmall.com) Web: [www.chipsmall.com](http://www.chipsmall.com)

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



# Miniature Bayonet

## 17 SERIES

- **MINIATURE BAYONET NON-GROUNDED LAMPHOLDERS**
- **6" WIRE LEADS • ELECTRO TINNED STEEL SHELL IN BLACK NYLON HOUSING**
- **MAXIMUM RATING: 75 WATTS, 125 VOLTS**
- **UL RECOGNIZED • UL FILE E20356**

### Overview

The 17 Series lampholders have an electro tinned steel shell in a black nylon housing. Lampholders are supplied with two 6" wire leads and are non-grounded. Many bracket and mounting options are available including a 5/8" mounting hole plug button and a threaded bushing for 19/64" mounting holes. Lampholders are designed for use with miniature bayonet lamps.

### Specifications

**Shell:** electro tinned steel.

**Housing:** black nylon.

**Wire leads:** 6" **Leads:** #22 AWG, black & white, stranded, tinned copper, PVC insulated, UL/CSA rated 105° C, stripped 1/2". Custom wire lengths, stripping, termination and wire types are also available.



#### Mounting:

**Brackets:** 0.025" to 0.032" zinc plated steel. Custom brackets and plating types are available.

**Plug button:** zinc plated steel for 5/8" mounting hole.

**Threaded bushing:** for 19/64" diameter hole. Supplied with lockwasher and hex nut.

**Maximum rating:** 75 Watts, 125 Volts.



### Can't find it here? We have many more standard and custom solutions

The items in this product sheets are only a small representative sample of the complete VCC product line. We manufacture many additional products which are not shown in this product sheet due to space constraints.

Custom products can also be designed uniquely for you by our Technical Support Professionals. Starting from your ideas and specifications, we work with your personnel to develop timely and cost effective solutions for your miniature lighting needs.

VCC Technical Support Services are provided without charge and may include designs, prototypes and pre-production samples.







For further information, phone Customer Service at 800.522.5546.

# Miniature Bayonet

## 17 SERIES

UL Recognized • Non-Grounded  
Maximum Rating: 75 Watts, 125 Volts

Electro Tinned Steel Shell  
Black Nylon Housing  
6" Wire Leads





# Miniature Bayonet

## 17 SERIES

UL Recognized • Non-Grounded  
Maximum Rating: 75 Watts, 125 Volts

Electro Tinned Steel Shell  
Black Nylon Housing  
6" Wire Leads

