

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832


Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China










Cable Length L			Cable Length L		Max. IL	Cable Length L		Max. IL	Cable Length L			
Meters [Inches]	Part Number	Max. IL	Meters [Inches]	Part Number		Meters [Inches]	Part Number		Meters	[Inches]	Part Number	Max. IL
1m ± 0.05m [39.37" ± 1.97"]	17-300320-01	0.20 dB	21m ± 0.30m [826.77" ± 11.81"]	17-300320-21	0.21 dB	41m ± 0.40m [1614.17" ± 15.75"]	17-300320-41	0.24 dB	61m ± 0.60m [2	401.57" ± 23.62"]	17-300320-61	0.25 dB
2m ± 0.05m [78.74" ± 1.97"]	17-300320-02	0.20 dB	22m ± 0.30m [866.14" ± 11.81"]	17-300320-22	0.22 dB	42m ± 0.40m [1653.54" ± 15.75"]	17-300320-42	0.24 dB	62m ± 0.60m [2	440.95" ± 23.62"]	17-300320-62	0.25 dB
3m ± 0.05m [118.11" ± 1.97"]	17-300320-03	0.20 dB	23m ± 0.30m [905.51" ± 11.81"]	17-300320-23	0.22 dB	43m ± 0.40m [1692.91" ± 15.75"]	17-300320-43	0.24 dB	63m ± 0.60m [2	480.31" ± 23.62"]	17-300320-63	0.25 dB
4m ± 0.08m [157.48" ± 3.15"]	17-300320-04	0.20 dB	24m ± 0.30m [944.88" ± 11.81"]	17-300320-24	0.22 dB	44m ± 0.40m [1732.28" ± 15.75"]	17-300320-44	0.24 dB	64m ± 0.60m [2	!519.68" ± 23.62"]	17-300320-64	0.25 dB
5m ± 0.08m [196.85" ± 3.15"]	17-300320-05	0.20 dB	25m ± 0.30m [984.25" ± 11.81"]	17-300320-25	0.22 dB	45m ± 0.40m [1771.65" ± 15.75"]	17-300320-45	0.24 dB	65m ± 0.60m [2	2559.05" ± 23.62"]	17-300320-65	0.25 dB
6m ± 0.08m [236.22" ± 3.15"]	17-300320-06	0.20 dB	26m ± 0.30m [1023.62" ± 11.81"]	17-300320-26	0.22 dB	46m ± 0.40m [1811.02" ± 15.75"]	17-300320-46	0.24 dB	66m ± 0.60m [2	598.42" ± 23.62"]	17-300320-66	0.25 dB
7m ± 0.08m [275.59" ± 3.15"]	17-300320-07	0.20 dB	27m ± 0.30m [1062.99" ± 11.81"]	17-300320-27	0.22 dB	47m ± 0.40m [1850.39" ± 15.75"]	17-300320-47	0.24 dB	67m ± 0.60m [2	637.80" ± 23.62"]	17-300320-67	0.25 dB
8m ± 0.15m [314.96" ± 5.91"]	17-300320-08	0.20 dB	28m ± 0.30m [1102.36" ± 11.81"]	17-300320-28	0.22 dB	48m ± 0.40m [1889.76" ± 15.75"]	17-300320-48	0.24 dB	68m ± 0.60m [2	677.16" ± 23.62"]	17-300320-68	0.25 dB
9m ± 0.15m [354.33" ± 5.91"]	17-300320-09	0.20 dB	29m ± 0.30m [1141.73" ± 11.81"]	17-300320-29	0.22 dB	49m ± 0.40m [1929.13" ± 15.75"]	17-300320-49	0.24 dB	69m ± 0.60m [2	716.53" ± 23.62"]	17-300320-69	0.25 dB
10m ± 0.15m [393.70" ± 5.91"]	17-300320-10	0.21 dB	30m ± 0.30m [1181.10" ± 11.81"]	17-300320-30	0.22 dB	50m ± 0.50m [1968.50" ± 19.69"]	17-300320-50	0.24 dB	70m ± 0.70m [2	755.91" ± 27.56"]	17-300320-70	0.25 dB
11m ± 0.15m [433.07" ± 5.91"]	17-300320-11	0.21 dB	31m ± 0.30m [1220.47" ± 11.81"]	17-300320-31	0.22 dB	51m ± 0.50m [2007.87" ± 19.69"]	17-300320-51	0.24 dB	71m ± 0.70m [2	.795.28" ± 27.56"]	17-300320-71	0.25 dB
12m ± 0.15m [472.44" ± 5.91"]	17-300320-12	0.21 dB	32m ± 0.30m [1259.84" ± 11.81"]	17-300320-32	0.22 dB	52m ± 0.50m [2047.24" ± 19.69"]	17-300320-52	0.24 dB	72m ± 0.70m [2	834.65" ± 27.56"]	17-300320-72	0.25 dB
13m ± 0.15m [511.81" ± 5.91"]	17-300320-13	0.21 dB	33m ± 0.30m [1299.21" ± 11.81"]	17-300320-33	0.22 dB	53m ± 0.50m [2208.33" ± 19.69"]	17-300320-53	0.24 dB	73m ± 0.70m [2	874.02" ± 27.56"]	17-300320-73	0.25 dB
14m ± 0.15m [551.18" ± 5.91"]	17-300320-14	0.21 dB	34m ± 0.30m [1338.58" ± 11.81"]	17-300320-34	0.22 dB	54m ± 0.50m [2125.98" ± 19.69"]	17-300320-54	0.24 dB	74m ± 0.70m [2	913.39" ± 27.56"]	17-300320-74	0.25 dB
15m ± 0.15m [590.55" ± 5.91"]	17-300320-15	0.21 dB	35m ± 0.35m [1377.95" ± 13.78"]	17-300320-35	0.22 dB	55m ± 0.50m [2165.35" ± 19.69"]	17-300320-55	0.24 dB	75m ± 0.70m [2	952.76" ± 27.56"]	17-300320-75	0.25 dB
16m ± 0.30m [629.92" ± 11.81"]	17-300320-16	0.21 dB	36m ± 0.35m [1417.32" ± 13.78"]	17-300320-36	0.23 dB	56m ± 0.50m [2204.72" ± 19.69"]	17-300320-56	0.24 dB	76m ± 0.70m [2	992.13" ± 27.56"]	17-300320-76	0.25 dB
17m ± 0.30m [669.29" ± 11.81"]	17-300320-17	0.21 dB	37m ± 0.35m [1456.69" ± 13.78"]	17-300320-37	0.23 dB	57m ± 0.50m [2244.09" ± 19.69"]	17-300320-57	0.24 dB	77m ± 0.70m [3	031.50" ± 27.56"]	17-300320-77	0.25 dB
18m ± 0.30m [708.66" ± 11.81"]	17-300320-18	0.21 dB	38m ± 0.35m [1496.06" ± 13.78"]	17-300320-38	0.23 dB	58m ± 0.50m [2283.46" ± 19.69"]	17-300320-58	0.24 dB	78m ± 0.70m [3	070.87" ± 27.56"]	17-300320-78	0.25 dB
19m ± 0.30m [748.03" ± 11.81"]	17-300320-19	0.21 dB	39m ± 0.35m [1535.43" ± 13.78"]	17-300320-39	0.23 dB	59m ± 0.50m [2322.83" ± 19.69"]	17-300320-59	0.24 dB	79m ± 0.70m [3	110.24" ± 27.56"]	17-300320-79	0.25 dB
20m ± 0.30m [787.40" ± 11.81"]	17-300320-20	0.21 dB	40m ± 0.40m [1574.80" ± 15.75"]	17-300320-40	0.23 dB	60m ± 0.60m [2362.21" ± 23.62"]	17-300320-60	0.24 dB	80m ± 0.80m [3	149.61" ± 31.50"]	17-300320-80	0.25 dB

NOTES:

6

- 1. MAXIMUM CONNECTOR INSERTION LOSS (IL): 0.2dB, PLUS CABLE ATTENUATION OF 0.78dB/km AT 1310nm
- 2. TEST DATA PROVIDED WITH EACH ASSEMBLY



Directive 2002/95/EC RoHS Compl	liant
---------------------------------	-------

N TO A THIRD	EPRODUCED A TO A THIRD CORPORATION	HAND	Custon	ner:			Tolerance Unless otherwise specified		\bigoplus	Scale: NTS	Dim. in m [inch	nes]					
		β¥	Na	ime	Title	Approval Date	Inventor			Material: See Notes							
THIS DRAWING MAY NOT BE COPIED OR F N AANY WAY, AND MAY NOT BE PASSED OI PARTY WITHOUT WRITEN PERMISSION, OWNERSHIP AND COPYRIGHT OF COMEO	SEC OR	DRAWING				L											
	SSSE	ا≲ا					2011	Date	Name	Title: IP67 Industrial D	Unley IC (ODVA	/Δ)					
	S S S S S S S S S S S S S S S S S S S	DOT NOT ALTER CAD DF					Draw.	Jul. 29	Vincent Ke								
	S MAY NOT BE ND MAY NOT I UT WRITTEN P ND COPYRIGH		ALTER	ALTER	ALTER					Appd.	Jul. 29	J. Chaudry	Single Mode Fiber Optic Patch Cords				
						出	监					Norm			Plastic	Version	
										D-old			Durania a Na . 45144 A 00		DIN		
	WAY, /										CON	8	Drawing No.: 17K1A23	iδ	A3		
	SDR ANY V ATY V		а	original				13 163		Part No.: SEE TABLE		Sheet					
	上 N N	8	Rev.	Changes	Date	Name		771		I altino SEE TABLE		1/1					
			7					2			1						

5 4