



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!




Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com


Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Cable Length L		Part Number	Max. IL	Cable Length L		Part Number	Max. IL	Cable Length L		Part Number	Max. IL	Cable Length L		Part Number	Max. IL
Meters	[Inches]			Meters	[Inches]			Meters	[Inches]			Meters	[Inches]		
1m ± 0.05m	[39.37" ± 1.97"]	17-300330-01	0.20 dB	21m ± 0.30m	[826.77" ± 11.81"]	17-300330-21	0.21 dB	41m ± 0.40m	[1614.17" ± 15.75"]	17-300330-41	0.24 dB	61m ± 0.60m	[2401.57" ± 23.62"]	17-300330-61	0.25 dB
2m ± 0.05m	[78.74" ± 1.97"]	17-300330-02	0.20 dB	22m ± 0.30m	[866.14" ± 11.81"]	17-300330-22	0.22 dB	42m ± 0.40m	[1653.54" ± 15.75"]	17-300330-42	0.24 dB	62m ± 0.60m	[2440.95" ± 23.62"]	17-300330-62	0.25 dB
3m ± 0.05m	[118.11" ± 1.97"]	17-300330-03	0.20 dB	23m ± 0.30m	[905.51" ± 11.81"]	17-300330-23	0.22 dB	43m ± 0.40m	[1692.91" ± 15.75"]	17-300330-43	0.24 dB	63m ± 0.60m	[2480.31" ± 23.62"]	17-300330-63	0.25 dB
4m ± 0.08m	[157.48" ± 3.15"]	17-300330-04	0.20 dB	24m ± 0.30m	[944.88" ± 11.81"]	17-300330-24	0.22 dB	44m ± 0.40m	[1732.28" ± 15.75"]	17-300330-44	0.24 dB	64m ± 0.60m	[2519.68" ± 23.62"]	17-300330-64	0.25 dB
5m ± 0.08m	[196.85" ± 3.15"]	17-300330-05	0.20 dB	25m ± 0.30m	[984.25" ± 11.81"]	17-300330-25	0.22 dB	45m ± 0.40m	[1771.65" ± 15.75"]	17-300330-45	0.24 dB	65m ± 0.60m	[2559.05" ± 23.62"]	17-300330-65	0.25 dB
6m ± 0.08m	[236.22" ± 3.15"]	17-300330-06	0.20 dB	26m ± 0.30m	[1023.62" ± 11.81"]	17-300330-26	0.22 dB	46m ± 0.40m	[1811.02" ± 15.75"]	17-300330-46	0.24 dB	66m ± 0.60m	[2598.42" ± 23.62"]	17-300330-66	0.25 dB
7m ± 0.08m	[275.59" ± 3.15"]	17-300330-07	0.20 dB	27m ± 0.30m	[1062.99" ± 11.81"]	17-300330-27	0.22 dB	47m ± 0.40m	[1850.39" ± 15.75"]	17-300330-47	0.24 dB	67m ± 0.60m	[2637.80" ± 23.62"]	17-300330-67	0.25 dB
8m ± 0.15m	[314.96" ± 5.91"]	17-300330-08	0.20 dB	28m ± 0.30m	[1102.36" ± 11.81"]	17-300330-28	0.22 dB	48m ± 0.40m	[1889.76" ± 15.75"]	17-300330-48	0.24 dB	68m ± 0.60m	[2677.16" ± 23.62"]	17-300330-68	0.25 dB
9m ± 0.15m	[354.33" ± 5.91"]	17-300330-09	0.20 dB	29m ± 0.30m	[1141.73" ± 11.81"]	17-300330-29	0.22 dB	49m ± 0.40m	[1929.13" ± 15.75"]	17-300330-49	0.24 dB	69m ± 0.60m	[2716.53" ± 23.62"]	17-300330-69	0.25 dB
10m ± 0.15m	[393.70" ± 5.91"]	17-300330-10	0.21 dB	30m ± 0.30m	[1181.10" ± 11.81"]	17-300330-30	0.22 dB	50m ± 0.50m	[1968.50" ± 19.69"]	17-300330-50	0.24 dB	70m ± 0.70m	[2755.91" ± 27.56"]	17-300330-70	0.25 dB
11m ± 0.15m	[433.07" ± 5.91"]	17-300330-11	0.21 dB	31m ± 0.30m	[1220.47" ± 11.81"]	17-300330-31	0.22 dB	51m ± 0.50m	[2007.87" ± 19.69"]	17-300330-51	0.24 dB	71m ± 0.70m	[2795.28" ± 27.56"]	17-300330-71	0.25 dB
12m ± 0.15m	[472.44" ± 5.91"]	17-300330-12	0.21 dB	32m ± 0.30m	[1259.84" ± 11.81"]	17-300330-32	0.22 dB	52m ± 0.50m	[2047.24" ± 19.69"]	17-300330-52	0.24 dB	72m ± 0.70m	[2834.65" ± 27.56"]	17-300330-72	0.25 dB
13m ± 0.15m	[511.81" ± 5.91"]	17-300330-13	0.21 dB	33m ± 0.30m	[1299.21" ± 11.81"]	17-300330-33	0.22 dB	53m ± 0.50m	[2086.61" ± 19.69"]	17-300330-53	0.24 dB	73m ± 0.70m	[2874.02" ± 27.56"]	17-300330-73	0.25 dB
14m ± 0.15m	[551.18" ± 5.91"]	17-300330-14	0.21 dB	34m ± 0.30m	[1338.58" ± 11.81"]	17-300330-34	0.22 dB	54m ± 0.50m	[2125.98" ± 19.69"]	17-300330-54	0.24 dB	74m ± 0.70m	[2913.39" ± 27.56"]	17-300330-74	0.25 dB
15m ± 0.15m	[590.55" ± 5.91"]	17-300330-15	0.21 dB	35m ± 0.35m	[1377.95" ± 13.78"]	17-300330-35	0.22 dB	55m ± 0.50m	[2165.35" ± 19.69"]	17-300330-55	0.24 dB	75m ± 0.70m	[2952.76" ± 27.56"]	17-300330-75	0.25 dB
16m ± 0.30m	[629.92" ± 11.81"]	17-300330-16	0.21 dB	36m ± 0.35m	[1417.32" ± 13.78"]	17-300330-36	0.23 dB	56m ± 0.50m	[2204.72" ± 19.69"]	17-300330-56	0.24 dB	76m ± 0.70m	[2992.13" ± 27.56"]	17-300330-76	0.25 dB
17m ± 0.30m	[669.29" ± 11.81"]	17-300330-17	0.21 dB	37m ± 0.35m	[1456.69" ± 13.78"]	17-300330-37	0.23 dB	57m ± 0.50m	[2244.09" ± 19.69"]	17-300330-57	0.24 dB	77m ± 0.70m	[3031.50" ± 27.56"]	17-300330-77	0.25 dB
18m ± 0.30m	[708.66" ± 11.81"]	17-300330-18	0.21 dB	38m ± 0.35m	[1496.06" ± 13.78"]	17-300330-38	0.23 dB	58m ± 0.50m	[2283.46" ± 19.69"]	17-300330-58	0.24 dB	78m ± 0.70m	[3070.87" ± 27.56"]	17-300330-78	0.25 dB
19m ± 0.30m	[748.03" ± 11.81"]	17-300330-19	0.21 dB	39m ± 0.35m	[1535.43" ± 13.78"]	17-300330-39	0.23 dB	59m ± 0.50m	[2322.83" ± 19.69"]	17-300330-59	0.24 dB	79m ± 0.70m	[3110.24" ± 27.56"]	17-300330-79	0.25 dB
20m ± 0.30m	[787.40" ± 11.81"]	17-300330-20	0.21 dB	40m ± 0.40m	[1574.80" ± 15.75"]	17-300330-40	0.23 dB	60m ± 0.60m	[2362.21" ± 23.62"]	17-300330-60	0.24 dB	80m ± 0.80m	[3149.61" ± 31.50"]	17-300330-80	0.25 dB

NOTES:
 1. MAXIMUM CONNECTOR INSERTION LOSS (IL): 0.2dB,
 PLUS CABLE ATTENUATION OF 0.78dB/km AT 1310nm
 2. TEST DATA PROVIDED WITH EACH ASSEMBLY



Directive 2002/95/EC RoHS Compliant

THIS DRAWING MAY NOT BE COPIED, OR REPRODUCED IN ANY WAY AND MAY NOT BE PASSED ON TO A THIRD PARTY WITHOUT WRITTEN PERMISSION. OWNERSHIP AND COPYRIGHT OF CONEC CORPORATION. DOT NOT ALTER CAD DRAWING BY HAND	Customer:		Tolerance Unless otherwise specified			Scale: NTS	Dim. in m [inches]	
	Name	Title	Approval Date			Autodesk Inventor	Material: See Notes	
				2011	Date	Name	Title: IP67 Industrial Duplex LC (ODVA)	
				Draw.	Jul. 29	Vincent Ke	Single Mode Fiber Optic Patch Cords	
				Appd.	Jul. 29	J. Chaudry	Nickel Plated Zinc Die-Cast Version	
				Norm			Drawing No.: 17K1A239	
				D-old			Part No.: SEE TABLE	
	a	original					DIN A3	
	Rev.	Changes	Date	Name			Sheet 1/1	
	CONEC							