



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## Specification Sheet

Part Number: 170-03033



Braided Sleeving, Installation Tool, 1" Split Wrap, 1/pkg

**Article Number**

170-03033

**Type**

BSWTOOL1

**Color**

Orange (OG)

**Features & Benefits**

- HellermannTyton braided sleeving installation tools are designed to accommodate a wide variety of braided sleeving products.
- Tools are designed and built durable to withstand production environments.
- Tools are available in both benchmount and handheld for all kinds of use.

**Quantity Per**

EA

**Product Description**

HellermannTyton offers a wide variety of application tools to assist in the installation of braided sleeving. These application tools are available in both bench mount and handheld styles.

**Short Description**

Braided Sleeving, Installation Tool, 1" Split Wrap, 1/pkg

**Global Part Name**

BSWTOOL1-OG

**Technical Description**

Installation Tool, 1.0" Split Wrap Braided Sleeving

**Bundle Diameter Max (Imperial)**

1.0

**Bundle Diameter Max (Metric)**

25.4

**Diameter D (imperial)**

1.0

**Diameter D (metric)**

25.4

**Nominal Diameter (Imperial)**

1

**Nominal Diameter (Metric)**

25.4

**Halogen free**

Yes

**Reach Complaint(Article 33)**

Yes

**ROHS Complaint**

Yes

**Package Quantity(Imperial)**

1

**Package Quantity (Metric)**

1

**Customs Number**

8205599000

**Weight (Metric)**

0.023

**Weight (Imperial)**

0.05