



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Specification Sheet

Part Number: 170-03039



Braided Sleeving, Bench Mount Hot Knife, 110 Volt Operation, 1/pkg

Article Number	170-03039
Type	BSBHK
Color	White (WH)
Features & Benefits	<ul style="list-style-type: none">• HellermannTyton braided sleeving installation tools are designed to accommodate a wide variety of braided sleeving products.• Tools are designed and built durable to withstand production environments.• Tools are available in both benchmount and handheld for all kinds of use.
Quantity Per	EA
Product Description	HellermannTyton offers a wide variety of application tools to assist in the installation of braided sleeving. These application tools are available in both bench mount and handheld styles.
Short Description	Braided Sleeving, Bench Mount Hot Knife, 110 Volt Operation, 1/pkg

Global Part Name	BSBHK-WH
Technical Description	Bench Mount Hot Knife, 110 Volt Operation
Halogen free	Yes
Operating Temperature (Metric)	+1112°F (+600°C)
Reach Complaint(Article 33)	Yes
ROHS Complaint	Yes
UL Recognized (US)	Yes
UL Recognized (US and Canada)	Yes
Package Quantity(Imperial)	1
Package Quantity (Metric)	1
Customs Number	8419899580
Weight (Metric)	1.14
Weight (Imperial)	2.5

