



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832


Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Specification Sheet

Part Number: 170-80350



Helagaine Braided Sleeving, Dispenser Pack, 1" Dia, 3:1 Shrink Ratio, PET, BK, 32.8ft/Reel

Article Number	170-80350
Type	HLB35
Color	Black (BK)
Features & Benefits	<ul style="list-style-type: none"> • Dispenser carton protects sleeving from dirt and keeps it from unraveling. • High 3:1 expansion ratio allows for wide range of bundle sizes.
Quantity Per	pack
Product Description	Helagaine dispenser packs designed for convenience and easy dispensing during in field-service applications.
Short Description	Helagaine Braided Sleeving, Dispenser Pack, 1" Dia, 3:1 Shrink Ratio, PET, BK, 32.8ft/Reel
Global Part Name	HLB35-PET-BK

Length L (Imperial)	32.8
Length L (Metric)	10.0
Bundle Diameter Min (Imperial)	0.71
Bundle Diameter Min (Metric)	18
Bundle Diameter Max (Imperial)	2.13
Bundle Diameter Max (Metric)	54
Diameter D (imperial)	1.38
Diameter D (metric)	35
Nominal Diameter (Imperial)	1-3/8
Nominal Diameter (Metric)	35
Material	Polyester (PET)
Material Shortcut	PET
Flammability	UL 94 V2
Halogen free	Yes
Operating Temperature (Metric)	-58°F to +302°F (-50°C to +150°C)

Reach Complaint(Article 33)

Yes

ROHS Complaint

Yes

Package Quantity(Imperial)

32.8

Package Quantity (Metric)

10

Customs Number

5902100000

Content Unit(BMEcat)

pack

Weight (Metric)

0.3

Weight (Imperial)

0.67