



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: [info@chipsmall.com](mailto:info@chipsmall.com) Web: [www.chipsmall.com](http://www.chipsmall.com)

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## Fuse holder - SI-H-FKS 30 - 1727528

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Printed circuit fuse carrier, for 5 mm wide automotive flat-type fuses up to max. 30 A

### Why buy this product

- ✓ Fuse holder for flat-type fuses with a maximum nominal voltage of 32 V
- ✓ With snap-in foot for secure pre-assembly on the PCB



### Key commercial data

Packing unit	1
Minimum order quantity	50
Catalog page	Page 157 (CC-2011)
GTIN	 4 017918 025700
Custom tariff number	85389099
Country of origin	GERMANY

### Classifications

#### eclass

eCl@ss 4.0	272607xx
eCl@ss 4.1	27260701
eCl@ss 5.0	27260701
eCl@ss 5.1	27260701
eCl@ss 6.0	27260704
eCl@ss 7.0	27440402

#### etim

ETIM 3.0	EC002298
ETIM 4.0	EC002298

#### unspsc

UNSPSC 6.01	30211801
UNSPSC 7.0901	39121432

## Fuse holder - SI-H-FKS 30 - 1727528

### Classifications

#### unspsc

UNSPSC 11	39121432
UNSPSC 12.01	39121432
UNSPSC 13.2	39121432

### Approvals

#### Approvals

#### Approvals


CSA / UL Recognized / GOST / UL Recognized / GOST

#### Ex Approvals


#### Approvals submitted

#### Approval details

CSA 
---

UL Recognized 		
	B	C
Nominal current I <sub>N</sub>	30 A	30 A
Nominal voltage U <sub>N</sub>	32 V	300 V

GOST 
--

UL Recognized 		
	B	D
Nominal current I <sub>N</sub>	12 A	10 A
Nominal voltage U <sub>N</sub>	250 V	300 V

## Fuse holder - SI-H-FKS 30 - 1727528

### Approvals



### Accessories

#### Accessories

#### Fuse

##### Fuse - SI FORM C 2 A - 0913689

Flat-type plug-in fuse, type C, color code: gray, nominal current: 2 A

---

##### Fuse - SI FORM C 4 A DIN 72581 - 0913731

Flat-type plug-in fuse, type C, color code: pink, nominal current: 4 A

---

##### Fuse - SI FORM C 5 A DIN 72581 - 0913692

Flat-type plug-in fuse, type C, color code: light brown, nominal current: 5 A

---

##### Fuse - SI FORM C 7,5 A DIN 72581 - 0913702

Flat-type plug-in fuse, type C, color code: brown, nominal current: 7.5 A

---

##### Fuse - SI FORM C 10 A DIN 72581 - 0913715

Flat-type plug-in fuse, type C, color code: red, nominal current: 10 A

---

##### Fuse - SI FORM C 15 A DIN 72581 - 0913676



Flat-type plug-in fuse, type C, color code: light blue, nominal current: 15 A

---

##### Fuse - SI FORM C 20 A DIN 72581 - 0913744

Flat-type plug-in fuse, type C, color code: yellow, nominal current: 20 A

## Fuse holder - SI-H-FKS 30 - 1727528

### Accessories

---

Fuse - SI FORM C 25 A DIN 72581 - 0913757



Flat-type plug-in fuse, type C, color code: white, nominal current: 25 A


---

Fuse - SI FORM C 30 A DIN 72581 - 0913760

Flat-type plug-in fuse, type C, color code: light green, nominal current: 30 A

### Drawings

Drilling diagram



## Fuse holder - SI-H-FKS 30 - 1727528

Dimensioned drawing

