mail

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.


We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!





Contact us


Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China















	2		1		
	DIST	REVISIONS			
	P LTR		DATE	$\frac{DWN}{\Delta} = \frac{APVD}{\Delta}$	
	A REVISED (ECR-	12-002645)	03AUG12	2 JC IVK	
	() () () () () () () () () () () () () (D
		-5.60			
		$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			
		R0.50			
			$\int \phi 0.80 \pm 0.$	05	
		$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$-\frac{1}{4}$	DBC	
			Frank Strain Str		
		$ \begin{bmatrix} 1 \\ - \end{bmatrix} \begin{bmatrix} 3 \\ - \end{bmatrix} \begin{bmatrix} 5 \\ - \end{bmatrix} \begin{bmatrix} - \end{bmatrix} $			
					С
		5.60			
	\times . \times	- 1.00			
	B-		$\sim \sim 1.1 \mathrm{T}$		
NOTE: 1. Mate		MMENDED PCB LA`	YOUI 		
	USING: THERMOPLASTIC HIGH NTACT: BRASS, THICKNESS=0.		ACK COLOR.		
SHE 2. FINIS	ELL: PHOSPHOR BRONZE, THI				
	NTACT: 0.762 μ m [30 μ "] MIN.	GOLD PLATED ON CON. . TIN-CU PLATED ON S			
LOGO	$1.27 \mu m [50 \mu'']$ MIN.	NICKEL UNDERPLATED /	ALL OVER.		В
PIN6	ELL: 3.048μm [120μ"] MIN. 2.54μm [100μ"] MIN. (CUNDERPLATED ALL (
	LOW SOLDER CAPABLE TO 26 9—201, CONDITION B.	O°C PER IEST SPEC.			
			3.18 173		
			2.69 173 DIM D DADT		
IS A CONTROLLED DOCUMENT.	DWN 23DEC2005		DIM D PART	NUMBER	
	O. HU Chk 23dec2005 S. HOU	\mathbf{E}	TE Connectivity		
TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD 23DEC2005 NAME W.J. KE				
$ \begin{array}{ccc} 0 & PLC & \pm 0.38 \\ 1 & PLC & \pm 0.25 \\ 2 & PLC & \pm 0.13 \end{array} $	product spec 108-57599		1, RCPT, 6P CAL, T/H		A
$\begin{array}{c c} - & - & - \\ \hline 3 & PLC & \pm 0.05 \\ 4 & PLC & \pm - \\ ANGLES & \pm 3^{\circ} \end{array}$	APPLICATION SPEC SIZE	CAGE CODE DRAWING NO		RESTRICTED TO	
FINISH SEE NOTE	weight 2.62 GRAMS AJ	00779 C-17342			
	CUSTOMER DRAWING	SCALE	SHEET 1 OF	F2 REV A	




1470-19 (1/08)









REVISIONS	
INL VIJIUNJ	
DESCRIPTION DATE DWN APVD	
E SHEET 1.	D
(TOP COVER)	<u>C</u>
GATED FIBER. 30mm, H=6mm *345mm*248mm 4000 20 100 -	B
AGING QTY'S/ OUTER BOX TRAYS/ INNER BOX PCS/ TRAY	
- NAME - NAME IEEE 1394, RCPT, 6P VERTICAL, T/H	A
SIZE CAGE CODE DRAWING NO	
A300779 C-1734290	
G SCALE SHEET 2 OF 2 REV A	

(BOTTOM COVER)

2				1	
	ST		REVISIONS		
	Р	LTR	DESCRIPTION	DATE	DWN APVD
		SEE	SHEET 1.		
6.0 REF					
R)			(TOP	COVER)	
NOTES: 1. MATERI	AL:				
TRAY: Shipe		(: CORRUG	SATED FIBER.		
2. DIMENS	SION:				
SHIPF	NG BOX	<: 509mm ³	60mm, H=6mm *345mm*248mm		
3. QUANT 4. WEIGH					
	• • • •				
15.0	14.0		4000	20	$\frac{100}{100}$
		SS) PACKA	GING QTY'S/ OUTER BOX	TRAYS/ INNER BOX	PCS/ IRAY
CUMENT.				TE Connectivity	
UNLESS PECIFIED: AP	 VD		– NAME		
	ODUCT SPEC		IEE	E 1394, RCPT, 6P	
				VERTICAL, T/H	A
	PLICATION SP	°EC	SIZE CAGE CODE DRAWING	NO	RESTRICTED 70
± – WE	IGHT		- <u> </u>	734290	
 	USTOMFF	r drawing		SCALE SHEET	OF 2 REV A
	, ~ , ¥ I L I				