imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.


We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







— , — .


THIS DRAWING IS DIMENSIONS: MM $(\bigcirc) = =$ MATERIAL SEE NOTE

L____




 12.5 ± 0.1






	LOC DIST		REVISIONS			
	DW P	LTR	DESCRIPTION	DATE	DWN APVD	
		C REVISED) (ECO-11-013077)	23JUN	III JC WK	
						D
			2.5 2.0 - 0.94	<u>Ref.</u>		
)2±0.08 Ø0.10		<u>Ref.</u>		
	(4 F ø2.3±0					
	[⊕ Ø0. (2 PLC)	$\frac{10}{10} \qquad \qquad$	$2 \mid 3 \mid 4 1^{4}$			
			=⊐────────────────────────────────────	γ		
			7.0 3.07	(Recommend Outline)		
			13.14	(Connector Outline)		
			15.0 Ref.			
1			P.C.BOARD LAYOUT(T=1.6) V)(TOLERANCE:±0.05)			\sim
						C
	1. MATERIAL: HOUSING:	THERMOPLASTIC(P	BT), UL 94V-0, COLOR:SEE ZE. THICKNESS=0.25	TABLE.		
		SS. THICKNESS=0				
	2. FINISH: CONTACTS:	GOLD FLASH OVE	R			
		0.762μm [30μ"]	MIN. PALLADIUM-NICKEL PL/ MIN. MATTE-TIN ON SOLDEF			
		$1.27 \mu m [50 \mu]$ N	/IN. NICKEL. UNDERPLATED / . TIN PLATED OVER			
			NICKEL UNDERPLATED			
		R CAPABLE TO 20 Condition B.	65°C PER TEST SPEC.			
			FTER DIFFERENT CUSTOMER	WAVE SOLDERING PROCE	ESS.	B
				BLACK	1734366-4	
			SEE SHEET	3 BLUE	1734366-3	
			SEE SHEET	2 WHITE	1734366-2	
			JLL JIILLI	BLACK	1734366-1	
			PACKING	HSG'S COLOR	PART NUMBER	
A CONTROLLED DC				TE Connectivity		
		19SEP2008 19SEP2008				
OTHERWISE S 0 PLC ± 0	W. KODAN	ИA	RECEPT ASS	Y, VERTICAL, 4POSIT		
$ \begin{array}{c} 1 & PLC \\ - & \pm 0 \\ 2 & PLC \\ - & \pm 0 \\ - & - \\ \end{array} $.13 108-5	57547	IHRU—HOLE,	TYPE A USB		A
$\begin{array}{c c} - & - \\ - & - \\ 4 & PLC & \pm - \\ ANGLES & \pm 2^{\circ} \end{array}$		on test report 57635	SIZE CAGE CODE DRAWING NO		RESTRICTED TO	
FINISH	WEIGHT 1	.82GRAMS	A300779 C-17.	34366		
SEE NO	CUSTOME	ER DRAWING		SCALE SHEET 1	of 3 REV C	






A CC	ONTROLLED DOCUMENT.	DWN		
		СНК		
	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD	NAME	
	0 PLC ± -	PRODUCT SPEC		
	1 PLC $\pm -$ 2 PLC $\pm -$			
	$3 PLC \pm -$ $4 PLC \pm -$ $ANGLES \pm -$	APPLICATION SPEC	SIZE	(
	FINISH	WEIGHT	AJ	C
		CUSTOMER DRAWING		<u> </u>

1				
REVISIONS				
DESCRIPTION	DATE	DWN	APVD	
(4X)				D
HUUUUUUUUU AAAAAAAAAAAAAAAAAAAAAAAAAAAA				
19.0		r		
308				
				С
	PPER COVEF	2		
20005				
<i>[]]]</i>	PE FORM			
	lowfr cove	P		
Let tet tet		_ \		
				B
	4800	1734366	<u> </u>	
	4800	173436		
	QTY F			
	R			
E TE Cor	nectivity			
DEAEDT ACCV VEDTIAN (DACITIAN)				
RECEPT ASSY, VERTICAL, 4POSITION THRU-HOLE, TYPE A USB				
CAGE CODE DRAWING NO				
cage code drawing no 00779 C-1734366				
	SHEET		/	
	<u> </u>	DF <u>3</u>		




DIMENSIONS: $(\bigcirc) = \square$



CARTON

20 TRAYS/CARTON TOTAL:2400PCS GROSS WEIGHT:7.2KGS NET WEIGHT:5.6KGS



20.0

A CC	ONTROLLED DOCUMENT.	DWN		
		CHK		
	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD	NAME	
	0 PLC $\pm -$ 1 PLC $\pm -$ 2 PLC $+ -$	PRODUCT SPEC		
	$\begin{array}{cccc} & \underline{1} & 1$	APPLICATION SPEC	SIZE	(
	FINISH	WEIGHT	AJ	C
		CUSTOMER DRAWING		

DESCRIPTION DATE DWN APVD				
	D			
UPPER COVER	C			
LOWER COVER	B			
2400 1734366-4 2400 1734366-3				
QTY PART NUMBER				
ETE TE Connectivity RECEPT ASSY, VERTICAL, 4POSITION THRU-HOLE, TYPE A USB				
CAGE CODE DRAWING NO RESTRICTED TO 00779 C-1734366				
SCALE SHEET 3 OF 3 REV C				

REVISIONS