mail

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.


We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!





Contact us


Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China











RIGHT ANGLE PLUG ASS WITH RIGHT ANGLE RECEP

NOTE:

- 1. MATERIAL:
- HOUSING: LCP, UL 94V-0, COLOR: BLACK. CONTACT: PHOSPHOR BRONZE, THICKNESS=0.30mm.
- RETENTION LEGS: BRASS, THICKNESS=0.50mm.
- 2. FINISH:
- CONTACT: GOLD FLASH OVER


0.762um [30u"] MIN. PALLADIUM-NICKEL PLATED ON (3.8um [150u"] MIN. MATTE TIN PLATED ON SOLDER TAI 1.27um [50u"] MIN. NICKEL UNDERPLATED ALL OVER. RETENTION LEGS: 3.8um [150u"] MIN. TIN-CU PLATED OVER 1.27um [50u"] MIN. NICKEL PLATED.


- 3. AIWAYS RoHS/ELV COMPLIANT
- 4. WAVE SOLDER CAPABLE TO 265°C PER TE SPEC 109-202, CONDI


A CO	NTROLL	ED DOCUMENT.	dwn O. HU	240CT2006		
			О. ПО СНК S НОЦ	240CT2006		
		ERANCES UNLESS RWISE SPECIFIED:	apvd W.J. KE	240CT2006	NAME	
	0 PLC 1 PLC 2 PLC 3 PLC 4 PLC ANGLES	± 0.38 ± 0.25 ± 0.13 ± 0.05 $\pm -$ $\pm 3^{\circ}$	PRODUCT SPEC 108-57 APPLICATION SPEC	7876	SIZE	(
	FINISH		WEIGHT		AЗ	C
	SEE NOTE		CUSTOMER	DRAWING		

9, IMPROVE 2041003–1 HSG STRUCTURE AND 11JAN'11 E.L. W.K.	
	D
	С
SSEMBLY MATED EPTACLE ASSEMBLY	
N CONTACT AREA,	B
AILS, R.	
IDITION B.	
REVERSED 1734375–1 INTERFACE PART NUMBER	
TE Connectivity	
CHAMP 1.27, SERIES I, PLUG, ASS'Y, R/A, EXTENDED HEIGHT	٨
CAGE CODE DRAWING NO RESTRICTED TO	
00779 C-1734375	


DATE	DWN	APVD
) 11JAN'11	E.L.	W.K.
		date dwn ^d 11jan'11 E.L.








LOC DIST REVISIONS	2						1				
		LOC	DIST				REVISIONS				
DW F LTR DESCRIPTION DATE DWN		DW		Ρ	LTR		DESCRIPTION		DATE	DWN	APVD
SEE SHEET 1.						SEE SHEET 1.					



7.80 2.40 1 2.40 1 1.905 1 1.	
	В
NORMAL 1-1734375-1 INTERFACE PART NUMBER S A CONTROLLED DOCUMENT. TOLERANCES UNLESS OTHERWISE SPECIFIED: PRODUCT SPEC PRODUCT SPEC PROD	A


D



THIS DRAWING IS A DIMENSIONS: mm MATERIAL

<u> </u>	- DITATRITNA	9MA

	2				
LOC	DIST	Ρ	LTR		
				SEE SHEET 1.	



		2.46	1.46		
		G.W(KGS)	N.W(KG	S) PA(CK,
5 A CONTROLLED DOCUMENT.	DWN				
	CHK				
TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD			NAME	
$ \begin{array}{c} 0 \ PLC & \pm - \\ 1 \ PLC & \pm - \\ 2 \ PLC & \pm - \end{array} $	PRODUCT SP	EC			
$\begin{array}{c} - \\ - \\ - \\ - \\ - \\ - \\ - \\ - \\ - \\ - $	APPLICATION	SPEC		SIZE	C
FINISH	WEIGHT			AJ	
	CUSTOM	IER DRAW	ING		

				C
128	8	16	1-1734375-1	
(AGING QUANTITY/BOX	TRAY/BOX		1734375–1 Part Number	
E TE	TE Cor	nectivity		
CHAMP 1.2	7, SERIES	SI, PLUG,		
ASS'Y, R/A,	EXTENDE	ED HEIGHT		A
cage code drawing no 00779 C=1734	1375		RESTRICTED TO	
		SHEET 3	of 3 REV C	

D