



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





#### General ordering data

Order No.	1737150000
Part designation	VP M20-EXE MS
Version	Blanking plug, Brass, nickel-plated, External thread: M 20 x 1.5, IP 66, IP 68
EAN	4008190956622
Qty.	50 pc(s).

#### General details

AF size 1	23 mm
Assembly temperature, max.	100 °C
Assembly temperature, min.	-40 °C
Class of protection with thread gasket	IP 66, IP 68
External thread	M 20 x 1.5
Length	18 mm
Length of thread	15 mm
Material	Brass, nickel-plated
Protection class	IP 66, IP 68
Sealing	NBR
Type of cable gland	metric

#### Approvals

Approvals institutes	<b>n.a.</b>
----------------------	-------------

#### Classifications

ETIM 2.0	EC000032
ETIM 3.0	EC000032
eClass 4.1	27-14-12-10
eClass 5.0	27-14-91-10
eClass 5.1	27-14-91-10

#### Similar products

Order No.	Part designation	Version
1737140000	VP M16-EXE MS	Blanking plug, Brass, nickel-plated, External thread: M 16 x 1.5, IP 66, IP 68
1737160000	VP M25-EXE MS	Blanking plug, Brass, nickel-plated, External thread: M 25 x 1.5, IP 66, IP 68
1737170000	VP M32-EXE MS	Blanking plug, Brass, nickel-plated, External thread: M 32 x 1.5, IP 66, IP 68
1737180000	VP M40-EXE MS	Blanking plug, Brass, nickel-plated, External thread: M 40 x 1.5, IP 66, IP 68
1737190000	VP M50-EXE MS	Blanking plug, Brass, nickel-plated, External thread: M 50 x 1.5, IP 66, IP 68
1737200000	VP M63-EXE MS	Blanking plug, Brass, nickel-plated, External thread: M 63 x 1.5, IP 66, IP 68
1719360000	VP 11-EXE MS	Blanking plug, Brass, nickel-plated, External thread: PG 11, IP 66, IP 68
1719370000	VP 13,5-EXE MS	Blanking plug, Brass, nickel-plated, External thread: PG 13.5, IP 66, IP 68
1719380000	VP 16-EXE MS	Blanking plug, Brass, nickel-plated, External thread: PG 16, IP 66, IP 68
1719390000	VP 21-EXE MS	Blanking plug, Brass, nickel-plated, External thread: PG 21, IP 66, IP 68
1719400000	VP 29-EXE MS	Blanking plug, Brass, nickel-plated, External thread: PG 29, IP 66, IP 68
1719430000	VP 48-EXE MS	Blanking plug, Brass, nickel-plated, External thread: PG 48, IP 66, IP 68
1719340000	VP 7-EXE MS	Blanking plug, Brass, nickel-plated, External thread: PG 7, IP 66, IP 68
1719350000	VP 9-EXE MS	Blanking plug, Brass, nickel-plated, External thread: PG 9, IP 66, IP 68