



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832


Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China






RECEIVED FOR PRODUCTION
 RELEASE MATERIALS
 DATE: 11/11/2011
 BY: 1110 ELECTRONICS CORPORATION
 ALL RIGHTS RESERVED
 DATE: 11/11/2011

VIEW WITH ASSEMBLED COVER
 ANSICHT MIT MONTIERTEM DECKEL



VIEW WITH ASSEMBLED COVER
 ANSICHT MIT MONTIERTEM DECKEL



-1 AS SHOWN
 -1 WIE GEZEICHNET

- △ SHROUDING COVER ITEM NO. 8 NOT SHOWN.
- △ COVER NOT ASSEMBLED WITH LOWER PART, ENCLOSE LOOSELY.
- △ PART NUMBER WITH PREFIX AND SUFFIX NUMBER.
- △ PRODUCTION DATE (YYMMDD).
- △ MANUFACTURING LOCATION CODE
- △ DIODE ACCORDING TO SPECIFICATION 108-94119
- △ DIODE SL110B ACC. SPEC. 108-2444 CAN BE ALTERNATIVELY USED
- △ ONLY DIODES OF THE SAME TYPE RESP. DESIGNATION ARE PERMITTED FOR USE IN ONE AND THE SAME SOLAR BOX. ONLY SOLARLOK BOXES WITH THE SAME DIODES ARE PERMITTED TO PACK IN ONE AND THE SAME CORRUGATED SHIPPING BOX.
- △ MARK FOR DIODE TYPE: LEAVE BLANK FOR DIODE SL110 A FOR DIODE SL110B
- △ MODEL CODE ACCORDING TE-SPEC. 404-74000-1
- △ SERIAL NUMBER
- △ TEST EQUIPMENT NUMBER


- △ ABDECKHAUBE ITEM NO. 8 NICHT DARGESTELLT.
- △ DECKEL NICHT MIT UNTERTEIL MONTIERT, LOSE BEIGELEGT.
- △ TEILENUMMER MIT VOR- UND NACHSTRICHZAHL.
- △ FERTIGUNGSDATUM (JJMMTT).
- △ FERTIGUNGSSTANDORT-CODE.
- △ DIODE GEMÄSS SPEZIFIKATION 108-94119
- △ DIODE SL110B GEMÄSS SPEZ. 108-2444 KÖNNEN ALTERNATIV VERWENDET WERDEN.
- △ NUR DIODEN GLEICHEN TYPES BZW. BEZEICHNUNG DÜRFEN IN EIN UND DERSELBEN SOLARLOK BOX EINGESETZT WERDEN. NUR SOLARLOK BOXEN MIT DER GLEICHEN DIODE DÜRFEN IN EIN UND DEMSELBEN VERSANDKARTON VERPACKT WERDEN.
- △ KENNZEICHEN FÜR DIODENTYP. OHNE KENNZEICHEN FÜR DIODE SL110 A FÜR DIODE SL110B
- △ TYPENSCHLÜSSEL NACH TE-SPEZIFIKATION 404-74000-2
- △ SERIENUMMER
- △ PRÜFGERÄTE-NUMMER

1740700-4		PART-NO. BESTELL-NR.			
-	2	12	CONTACT PIN KONTAKTSTIFT	Ag	CuZn
-	2	11	BYPASS DIODE TYPE SL110 BYPASS DIODE TYP. SL110	△△△	-
-	1	10	RING FOR ULTRASONIC WELDING RING FÜR ULTRASCHALLSCHWEISSEN	-	-
-	1	9	MEMBRANE VENTS MEMBRANE	-	-
-	4	8	SHROUDING COVER ABDECKHAUBE	BLACK SCHWARZ	PEI
-	4	7	FOIL SPRING FOLIEFEDER	PLAIN BLANK	STAINLESS STEEL ROSTFREIER STAHL
-	8	6	TE SPRING CLAMP WITH ANTI OVERSTRESS TE-ARBEITSPINNE MIT ÜBERSCHNITT	PLAIN BLANK	STAINLESS STEEL ROSTFREIER STAHL
-	2	5	TE SPRING CLAMP WITH ANTI OVERSTRESS TE-ARBEITSPINNE MIT ÜBERSCHNITT	PLAIN BLANK	STAINLESS STEEL ROSTFREIER STAHL
-	4	4	CONTACT RAIL STROMSCHINE	TIN HOT DIPPED FEDERKONTAKT	CuSn
-	1	3	SOLAR MODULE BOX LOWER PART SOLAR MODUL BOX UNTERTEIL	BLACK SCHWARZ	PPE-PS
-	1	2	O-RING SEAL O-RING DICHUNG	-	-
-	1	1	SOLAR MODULE BOX COVER SOLAR MODUL BOX DECKEL	BLACK SCHWARZ	PC
PIECES STÜCK	ITEM-NO. POS.	DESCRIPTION BENENNUNG		SURFACE OBERFLÄCHE	MATERIAL
				COLOR/FARBE	
THIS DRAWING IS A CONTROLLED DOCUMENT.		REV. 01	RAGHUNATH	10FEB2010	
DIRECTION: MODIFICATION		DATE: BY: CHECKED: APPROVED:	DATE: BY: CHECKED: APPROVED:	DATE: BY: CHECKED: APPROVED:	NAME
MATERIAL		FINISH/SCHLÜSSEL/FARBE	RELIGHT BELEUCHTUNG	SCALE MAßSTAB	RESTRICTED TO NUR FÜR
		CUSTOMER DRAWING		/KUNDENZEICHNUNG	SHEET 1 OF 2
				DATE: 11/11/2011	REV: 01

THIS DRAWING IS UNCONTROLLED. RELEASED FOR PUBLICITY 2006
 © COPYRIGHT 2006 BY TYCO ELECTRONICS CORPORATION ALL RIGHTS RESERVED.

REVISONS		DATE	BY	APP'D
1	SEE SHEET 1	-	-	-

VIEW WITH ASSEMBLED COVER
 ANSICHT MIT MONTIERTEM DECKEL



PACKAGING: 60 PIECES SOLAR MODULE BOX ASSY'S PACKAGED IN CORRUGATED SHIPPING BOX.
 PER TE-SPEC. 107-18052.
 5 LAYERS OF 12 PIECES.
 USED CORRUGATED LAYER PAD FOR INTERLAYER.
 FIFTH LAYER SOLAR MODULE BOX ASSY'S COVERED WITH CORRUGATED LAYER PAD .
 60 PIECES SOLAR MODULE BOX COVER ASSY'S ITEM NO. 1. 3 x 5 PILES WITH 4 VICE VERSA ON TOP OF EACH OTHER STACKED LIDS
 IN ESD PLASTIC BAG PUT ON THE FIFTH LAYER
 SOLAR MODULE BOX COVER ASSY ITEM NO.1 COVERED WITH PAPER CUSHION

PACKAGING UNIT: 60 PIECES
MINIMUM ORDER QUANTITY: 60 PIECES

VERPACKUNG: 60 STÜCK SOLAR MODUL BOX ASSY'S VERPACKT IN VERSANDKARTON
 NACH TE-SPEZ. 107-18052.
 5 LAGEN ZU JE 12 STÜCK.
 ZWISCHENLAGENWELLPAPIER ALS ZWISCHENLAGE VERWENDET.
 FÜNFTE LAGE SOLAR MODUL BOX ASSY'S MIT ZWISCHENLAGENWELLPAPIER ABGEDECKT.
 60 STÜCK SOLAR MODUL BOX DECKEL ASSY'S ITEM NO. 1. 3 x 5 STAPEL MIT 4 UMGEGEHRT ÜBEREINANDERGESTAPELTEN DECKELN
 IN ESD KUNSTSTOFF-BEUTEL VERPACKT AUF DIE FÜNFTE LAGE
 SOLAR MODUL BOX DECKEL ASSY'S ITEM NO.1 MIT PAPIERPOLSTERKISSEN ABGEDECKT

VERPACKUNGSEINHEIT: 60 STÜCK
MINDESTBESTELLMENGE: 60 STÜCK

MOUNTING INSTRUCTION FOR COVER ASSY:
 1. MOUNT COVER ITEM NO. 1 AND 2 INTO THE LOWER PART ITEM NO. 3 AND CLOSE IT. (LATCH SNAP IN).
 2. RE-OPEN: PUT IN MARKED OPENING Δ SCREWDRIVER 3mm AND MOVE LATCH UNTIL LOCKING LATCH FREE THE COVER.

MONTAGEANWEISUNG FÜR DECKEL ASSY:
 1. DECKEL ITEM NO. 1 UND 2 IN DAS UNTERTEIL ITEM NO. 3 EINHÄNGEN UND SCHLIESSEN. (LASCH E RASTET EIN).
 2. ÖFFNEN: SCHRAUBENDREHER 3mm IN MARKIERTE ÖFFNUNG Δ EINSTECKEN UND LASCH E BEWEGEN BIS RASTHAKEN DEN DECKEL FREI GIBT.

-1 AS SHOWN
 -1 WIE GEZEICHNET

THIS DRAWING IS A CONTROLLED DOCUMENT.		REV. 01	DATE	10FEB2010	BY	PT. RAGHUNATH	DATE	10FEB2010	NAME	SOLARLOK R P-P 4/4	RESTRICTED TO						
DIMENSIONS:		0	PLC	-	1	PLC	-	2	PLC	-	3	PLC	-	4	PLC	-	
MATERIAL:		FINISH:		WEIGHT:		SCALE:		1:1		SHEET:		2		OF		2	
CUSTOMER DRAWING		SCALE		1:1		SHEET		2		OF		2		REV		B1	