



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us


Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Alle Rechte vorbehalten. All rights reserved



X
5:1

Kodierung 1
coding 1

Reihe
row

5:1
kinked pins
at both ends
of the connector

*) Löcher nicht metallisiert
non-metallized drillings
Bohrlochdurchmesser: $\phi 0,8 \pm 0,02$ mm
Lochdurchmesser (mit Oberfläche): $\phi 0,7^{+0,07}_{-0,05}$ mm
drill hole dia.: $\phi 0,8 \pm 0,02$ mm
through hole dia. (after plating): $\phi 0,7^{+0,07}_{-0,05}$ mm

**Lochbild
board drillings**

17 55 144 4806	-	min. 0,76 μ m (30 μ m) Au über/over min. 1,27 μ m (50 μ m) Ni
17 55 144 2806	2	Au über/over Ni
17 55 144 1806	1	Au über/over Ni
Bestell-Nr. part-no.	Anforderungsstufe nach IEC performance level acc. to IEC	Kontaktoberfläche contact plating

			Techn. Character.		Nicht tolerierte Maß Free size tolerances	
			Dat.	Name	Maßstab/Scale 2:1 (5:1)	har-bus HM Federleiste 6-reihig mit Flansch links 144 pol., PIHR (Hochtemperatur), Kodierung 1 har-bus HM female connector 6-row with guide on left side, 144pol., PIHR (high temperature), coding 1
			Detail.	Bus.		
			Insp.	Ko		
			Stand.			
32624	07.04.05	HL.	HARTING Electronics GmbH & Co. KG D-32339 ESPELKAMP			TB 17 55 144 x806
31809						
Mod.	Dat.	Name				Sub.