# imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





## General ordering data

| Order No.        |
|------------------|
| Part designation |
| Version          |
|                  |

#### EAN Qty.

Markings

| Cadmium  |  |  |  |  |
|--|--|--|--|--|
| Can be labelled with thermal transfer printers |  |  |  |  |
| Can be printed with plotter                    |  |  |  |  |
| Can be written with dot-matrix printer         |  |  |  |  |
| Can be written with laser printer              |  |  |  |  |
| Colour of printing                             |  |  |  |  |
| Function                                       |  |  |  |  |
| Halogen  |  |  |  |  |
| Length   |  |  |  |  |
| Material                                       |  |  |  |  |
| Material colour                                |  |  |  |  |
| Material colour according to resistance code   |  |  |  |  |
| Max. temperature, continuous                   |  |  |  |  |
| Min. temperature, continuous                   |  |  |  |  |
| Orientation of print                           |  |  |  |  |
| Pin can be written (STI)                       |  |  |  |  |
| Pitch  |  |  |  |  |
| Printed characters                             |  |  |  |  |
| Printing method                                |  |  |  |  |
| Speed marking laser                            |  |  |  |  |
| Type of printing                               |  |  |  |  |
| Width  |  |  |  |  |

1755280002 DEK 5/3,5 MC GW 2 Connector markers, L x W: 5 x 3.5 mm, Polyamide 66, white 4032248017379 500 pc(s).

|       | no                |
|-------|-------------------|
| nters | No                |
|       | No                |
|       | No                |
|       | No                |
|       | black             |
|       | Connector markers |
|       | no                |
|       | 5 mm              |
|       | Polyamide 66      |
|       | white             |
| code  | 9                 |
|       | 100 °C            |
|       | -40 °C            |
|       | horizontal        |
|       | No                |
|       | 3.5 mm            |
|       | Numbers           |
|       | MC Laser          |
|       | No                |
|       | Standard          |
|       | 3.5 mm            |
|       |                   |



| Approvals institutes | PG       |  |
|----------------------|----------|--|
|                      |          |  |
| ETIM 2.0             | EC000761 |  |

| ETIM 3.0 EC000761      |  |
|------------------------|--|
| eClass 4.1 24-19-02-19 |  |
| eClass 5.0 27-14-11-37 |  |
| eClass 5.1 27-14-11-37 |  |

### Similar products

Approvals

|                        | Version   |
|------------------------|---|
| DEK 5/3,5 MC FW 1-50   | Connector markers, L x W: 5 x 3.5 mm, Polyamide 66, white   |
| DEK 5/3,5 MC FW 51-100 | Connector markers, L x W: 5 x 3.5 mm, Polyamide 66, white   |
| DEK 5/3,5 MC FWZ 1-10  | Connector markers, L x W: 5 x 3.5 mm, Polyamide 66, white   |
| DEK 5/3,5 MC FWZ 11-20 | Connector markers, L x W: 5 x 3.5 mm, Polyamide 66, white   |
| DEK 5/3,5 MC FWZ 21-30 | Connector markers, L x W: 5 x 3.5 mm, Polyamide 66, white   |
| DEK 5/3,5 MC FWZ 31-40 | Connector markers, L x W: 5 x 3.5 mm, Polyamide 66, white   |
| DEK 5/3,5 MC FWZ 41-50 | Connector markers, L x W: 5 x 3.5 mm, Polyamide 66, white   |
| DEK 5/3,5 MC GW 0      | Connector markers, L x W: 5 x 3.5 mm, Polyamide 66, white   |
| DEK 5/3,5 MC GW 1      | Connector markers, L x W: 5 x 3.5 mm, Polyamide 66, white   |
| DEK 5/3,5 MC GW 3      | Connector markers, L x W: 5 x 3.5 mm, Polyamide 66, white   |
| DEK 5/3,5 MC GW 4      | Connector markers, L x W: 5 x 3.5 mm, Polyamide 66, white   |
| DEK 5/3,5 MC GW 5      | Connector markers, L x W: 5 x 3.5 mm, Polyamide 66, white   |
| DEK 5/3,5 MC GW 6      | Connector markers, L x W: 5 x 3.5 mm, Polyamide 66, white   |
| DEK 5/3,5 MC GW 7      | Connector markers, L x W: 5 x 3.5 mm, Polyamide 66, white   |
| DEK 5/3,5 MC GW 8      | Connector markers, L x W: 5 x 3.5 mm, Polyamide 66, white   |
| DEK 5/3,5 MC GW 9      | Connector markers, L x W: 5 x 3.5 mm, Polyamide 66, white   |
|                        | DEK 5/3,5 MC FW 1-50<br>DEK 5/3,5 MC FW 51-100<br>DEK 5/3,5 MC FWZ 1-10<br>DEK 5/3,5 MC FWZ 1-20<br>DEK 5/3,5 MC FWZ 21-30<br>DEK 5/3,5 MC FWZ 31-40<br>DEK 5/3,5 MC FWZ 41-50<br>DEK 5/3,5 MC GW 0<br>DEK 5/3,5 MC GW 1<br>DEK 5/3,5 MC GW 1<br>DEK 5/3,5 MC GW 3<br>DEK 5/3,5 MC GW 4<br>DEK 5/3,5 MC GW 5<br>DEK 5/3,5 MC GW 6<br>DEK 5/3,5 MC GW 7<br>DEK 5/3,5 MC GW 8 |

