imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Extract from the online catalog

HC-B 24-SD-FQ/FS

Order No.: 1772609



http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1772609

HEAVYCON protective cover, series B24, for supporting base element with double locking latch, with retaining cord, IP54, PA

Commercial data

EAN	4017918037277
Pack	10 pcs.
Customs tariff	39269097
	00200001
Weight/Piece	0.04029 KG
Catalog page information	Page 550 (PC-2009)
Calalog page information	1 age 330 (1 C-2009)

Product notes

WEEE/RoHS-compliant since: 03/01/2006

http://

www.download.phoenixcontact.com Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General data

Design	B24
Inflammability class acc. to UL 94	HB
Ambient temperature (operation)	-20 °C 100 °C

Certificates / Approvals




Certification

GOST

Protective cover, B24

Diagrams/Drawings

Dimensioned drawing



Address

PHOENIX CONTACT Deutschland GmbH Flachsmarktstr. 8 32825 Blomberg,Germany Phone +49 5235 3 12000 Fax +49 5235 3 41200 http://www.phoenixcontact.de



© 2010 Phoenix Contact Technical modifications reserved;