



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION

© COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.


| | | | | | | | |
|-----|------|-----------|-----|---------------------------|---------|-----|------|
| LOC | DIST | REVISIONS | | | | | |
| FT | 0 | P | LTR | DESCRIPTION | DATE | DWN | APVD |
| | | | D | REVISED PER ECO-10-013614 | 13OCT10 | HMR | CR |

MATERIAL:
 HOUSING: THERMOPLASTIC, UL94V-0, BLACK.
 TERMINALS: BRIGHT TIN OVER COPPER ALLOY.
 SCREWS: #6-32 STEEL, ZINC PLATING W/ CLEAR CHROMATE.

ELECTRICAL:
 RATED CURRENT UL/CSA:
 CLASS C: 20A, 300V
 CLASS D: 5A, 600V
 WIRE RANGE: 12-22 AWG

MECHANICAL:
 RECOMMENDED TORQUE: 7 IN-LB.
 OPERATING TEMP.: 105°C MAX.

△ MARK WITH PERMANENT INK.
















| | | | | | | |
|------------|------------|----------|-------------|------------------|-----------------|-----------|
| SEE FIGURE | 9.000 | 9.314 | 23 | JC6-P208-23 | 6-796985-5 | |
| | 8.625 | 8.939 | 22 | JC6-P208-22-224 | 1776344-1 | |
| | 8.625 | 8.939 | 22 | JC6-P208-22 | 6-796985-4 | |
| | 8.250 | 8.564 | 21 | JC6-P208-21 | 6-796985-3 | |
| | 7.875 | 8.189 | 20 | JC6-P208-20 | 6-796985-2 | |
| | 7.500 | 7.814 | 19 | JC6-P208-19 | 6-796985-1 | |
| | 7.125 | 7.439 | 18 | JC6-P208-18 | 2-796985-0 | |
| | 6.750 | 7.064 | 17 | JC6-P208-17 | 6-796985-0 | |
| | 6.375 | 6.689 | 16 | JC6-P208-16 | 5-796985-9 | |
| | 6.000 | 6.314 | 15 | JC6-P208-15 | 1-796985-9 | |
| | 5.625 | 5.939 | 14 | JC6-P208-14 | 5-796985-8 | |
| | 5.250 | 5.564 | 13 | JC6-P208-13 | 5-796985-7 | |
| | 4.875 | 5.189 | 12 | JC6-P208-12 | 5-796985-6 | |
| | 4.500 | 4.814 | 11 | JC6-P208-11 | 5-796985-5 | |
| | 4.125 | 4.439 | 10 | JC6-P208-10 | 5-796985-4 | |
| | 3.750 | 4.064 | 9 | JC6-P208-09 | 4-1437665-6 | |
| | 3.375 | 3.689 | 8 | JC6-P208-08 | 5-796985-3 | |
| | 3.000 | 3.314 | 7 | JC6-P208-07 | 5-796985-2 | |
| | 2.625 | 2.939 | 6 | JC6-P208-06 | 4-1437665-5 | |
| | 2.250 | 2.564 | 5 | JC6-P208-05 | 4-1437665-4 | |
| | SEE FIGURE | 1.875 | 2.189 | 4 | JC6-P208-04-505 | 1776344-3 |
| | SEE FIGURE | 1.875 | 2.189 | 4 | JC6-P208-04-504 | 1776344-2 |
| SEE FIGURE | 1.875 | 2.189 | 4 | JC6-P208-04-503 | 9-796985-7 | |
| SEE FIGURE | 1.875 | 2.189 | 4 | JC6-P208-04-500 | 9-796985-6 | |
| SEE FIGURE | 1.875 | 2.189 | 4 | JC6-P208-04 | 4-1437665-3 | |
| SEE FIGURE | 1.500 | 1.814 | 3 | JC6-P208-03-172 | 1-796985-8 | |
| | 1.500 | 1.814 | 3 | JC6-P208-03 | 4-1437665-2 | |
| | 1.125 | 1.439 | 2 | JC6-P208-02 | 4-1437665-1 | |
| | DIM. "B" | DIM. "A" | NO. OF POS. | CATALOG PART NO. | PART NUMBER | |

| | | | | | | |
|---|--|------------------|------------|---------------|--|---------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN | S SCHLEGEL | 5/7/03 | Tyco Electronics Corporation Harrisburg, PA 17105 | |
| DIMENSIONS: INCHES | | CHK | S. YODER | 5/7/03 | NAME | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APVD | S. YODER | 5/7/03 | JC6-P208-XX ASSEMBLY | |
| 0 PLC ± - 1 PLC ± - 2 PLC ± .01 3 PLC ± - 4 PLC ± - ANGLES ± - | | PRODUCT SPEC | - | | | |
| MATERIAL | | APPLICATION SPEC | - | | | |
| FINISH | | WEIGHT | - | | | |
| | | CUSTOMER DRAWING | SCALE | NTS | SHEET | 1 OF 2 |
| | | | SIZE | A3 | CAGE CODE | 00779 |
| | | | DRAWING NO | G-4-1437665-1 | | RESTRICTED TO |
| | | | | | | |

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC FT DIST 0

| REVISIONS | | | | |
|-----------|-----|-------------|------|------|
| P | LTR | DESCRIPTION | DATE | APVD |
| - | - | SEE SHEET 1 | - | - |



| | | | | |
|---|--|--------------------------|--|-----------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN S SCHLEGEL 5/7/03 | Tyco Electronics Corporation Harrisburg, PA 17105 | |
| DIMENSIONS: INCHES | | CHK S. YODER 5/7/03 | | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APVD S. YODER 5/7/03 | NAME | |
| 0 PLC ± - 1 PLC ± - 2 PLC ± .01 3 PLC ± - 4 PLC ± - ANGLES ± - | | PRODUCT SPEC - | JC6-P208-XX ASSEMBLY | |
| MATERIAL - | | FINISH - | APPLICATION SPEC - | RESTRICTED TO - |
| | | WEIGHT - | SIZE A3 | CAGE CODE 00779 |
| | | DRAWING NO C-4-1437665-1 | | |
| | | CUSTOMER DRAWING | | SCALE NTS |
| | | SHEET 2 OF 2 | | REV D |