



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





#### General ordering data

Order No.	1777790000
Part designation	VP M63-MS65
Version	Blanking plug, Brass, nickel-plated, External thread: M 63 x 1.5, IP 68
EAN	4032248158065
Qty.	10 pc(s).

#### General details

Assembly temperature, max.	100 °C
Assembly temperature, min.	-30 °C
Class of protection with thread gasket	IP 68
External thread	M 63 x 1.5
Length	18 mm
Length of thread	10 mm
Material	Brass, nickel-plated
O-Ring	Perbunan
Protection class	IP 68
Sealing	NBR
Type of cable gland	metric

#### Approvals

Approvals institutes



#### Classifications

ETIM 2.0	EC000032
ETIM 3.0	EC000032
eClass 4.1	27-14-12-10
eClass 5.0	27-14-91-10
eClass 5.1	27-14-91-10

### Similar products

Order No.	Part designation	Version
1777720000	VP M12-MS65	Blanking plug, Brass, nickel-plated, External thread: M 12 x 1.5, IP 68
1777730000	VP M16-MS65	Blanking plug, Brass, nickel-plated, External thread: M 16 x 1.5, IP 68
1777740000	VP M20-MS65	Blanking plug, Brass, nickel-plated, External thread: M 20 x 1.5, IP 68
1777750000	VP M25-MS65	Blanking plug, Brass, nickel-plated, External thread: M 25 x 1.5, IP 68
1777760000	VP M32-MS65	Blanking plug, Brass, nickel-plated, External thread: M 32 x 1.5, IP 68
1777770000	VP M40-MS65	Blanking plug, Brass, nickel-plated, External thread: M 40 x 1.5, IP 68
1777780000	VP M50-MS65	Blanking plug, Brass, nickel-plated, External thread: M 50 x 1.5, IP 68
0294800000	VP 11-MS65	Blanking plug, Brass, nickel-plated, External thread: PG 11, IP 68
0294900000	VP 13,5-MS65	Blanking plug, Brass, nickel-plated, External thread: PG 13.5, IP 68
0295000000	VP 16-MS65	Blanking plug, Brass, nickel-plated, External thread: PG 16, IP 68
0295100000	VP 21-MS65	Blanking plug, Brass, nickel-plated, External thread: PG 21, IP 68
0501100000	VP 29-MS65	Blanking plug, Brass, nickel-plated, External thread: PG 29, IP 68
0501200000	VP 36-MS65	Blanking plug, Brass, nickel-plated, External thread: PG 36, IP 68
0501300000	VP 42-MS65	Blanking plug, Brass, nickel-plated, External thread: PG 42, IP 68
1719270000	VP 48-MS65	Blanking plug, Brass, nickel-plated, External thread: PG 48, IP 68
0521600000	VP 7-MS65	Blanking plug, Brass, nickel-plated, External thread: PG 7, IP 68
0294700000	VP 9-MS65	Blanking plug, Brass, nickel-plated, External thread: PG 9, IP 68