



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us


Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



NUMBER C-177906  
METRIC  
30° (30°) ANGLE PROJECTION



パネル取付寸法 FIG 1  
(RECOMMENDED PANEL OPENING DIMENSION)

- 注:
1. 適用製品規格: 108-5410
  2. 適用コネクタ型番  
タブ・コネクタ: 177917-□(\*20-16AWG)  
177916-□(\*26-22AWG)
  3. 組合相手製品型番  
プラグ・ハウジング: 177898-□  
リセ・コネクタ: 177915-□(\*20-16AWG)  
177914-□(\*26-22AWG)
  4. 適用プレート型番: 177918-□
  5. 取扱説明書: 411-5638
  6. 適用パネル厚: 0.8-2.0 (FIG 1参照)
  7. 金属パネルの場合、コネクタ取付方向をパンチ加工方向にしてください。
  8. プラスチック、パネルの場合、穴端部にRを各様補配してください。
- 表1参照

- NOTES:
1. PRODUCT SPEC., 108-5410
  2. APPLICABLE CONTACT P/N  
TAB CONTACT: 177917-□(\*20-16AWG)  
177916-□(\*26-22AWG)
  3. MATING CONN. P/N  
PLUG HSG: 177898-□  
REC CONTACT: 177915-□(\*20-16AWG)  
177914-□(\*26-22AWG)
  4. APPLICABLE PLATE P/N: 177918-□
  5. INSTRUCTION SHEET: 411-5638
  6. APPLICABLE PANEL THICKNESS: 0.8-2.0 (SEE FIG 1)
  7. INSERT CONN. FROM PRESS DIRECTION SIDE FOR METAL PANEL.
  8. EDGE OF THICKNESS WAY MUST NOT ROUND FOR MOLDED PANEL.
- △ SEE TABLE 1

断面 "A-A"  
(SECT)

回路番号  
(CIRCUIT No.)

表1 (TABLE 1)

トレードマーク (TRADE MARK)	生産場所 (MANUFACTURING PLACE)
— AMP OR AMP	日本 (JAPAN)
—+ AMP OR AMP	中国 (CHINA(ROC))
— AMP OR AMP	韓国 (KOREA)

黒 (BLACK)	↑	↑	-9
青 (BLUE)	↑	↑	-6
黄 (YELLOW)	↑	↑	-4
赤 (RED)	↓	↓	-2
自然色 (NATURAL)	2		177906-1
ハウジング色調 (HOUSING COLOR)	種数 (Pos.)	型番 (P/N)	

単位: mm DIMENSIONS IN MM. DO NOT SCALE PRINT

PRINT DIST

C1	REVISED PER ECO-11-005140	RK	HMR	01 APR 11	DR. 9. SEP. '93 M. SUZUKI	DE. 9. SEP. '93 M. SUZUKI
LTR	変更 (REVISION RECORD)	DR	CHK	DATE	CHK. 9. SEP. '93 M. SHINDO	APP. 9. SEP. '93 Y. KASHIWA

適合電線径範囲 (WIRE RANGE) — mm² (AWG) —		絶縁外径 (INSULATION DIA.) — mmφ	名称 (NAME) テンパ ワイヤ ダブルロック コネクタ 2極 3.96mmピッチ キャップ・ハウジング (パネル取付タイプ) AMP POWER DOUBLE LOCK CONN. 3.96mm PITCH CAP HOUSING 2 Pos (PANEL MOUNT)	
材料 (MATERIAL) 6/6 ナイロン (UL94V-0) 6/6 NYLON (UL94V-0)		仕上 (FINISH) — / —		
DR. 9. SEP. '93 M. SUZUKI		DE. 9. SEP. '93 M. SUZUKI		一般公差 10以下: ±0.2 10以上 30以下: ±0.25 30以上 100以下: ±0.3 100以上: ±0.5
CHK. 9. SEP. '93 M. SHINDO		APP. 9. SEP. '93 Y. KASHIWA		SIZE LOC 番号 (No.) A3 J C-177906
尺度 (SCALE)		REV. C1	SHEET 1 OF 1	

CUSTOMER DRAWING