mail

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



PLUGSERIES ZQV 2.5N 1/4-2 SW



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 16 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-2083 www.weidmueller.com

High power/currents can be safely switched with the PLUGSERIES. The modular system enables conventional relays and LED indicators simply to be plugged in. Retaining and disassembly clips provide a secure mount. Pre-assembled relays with 1 or 2 changeover contacts and input voltages from 24V to 230V round of the product range. Plug-in ZQV 2.5 cross-connectors enable relay multiplexers to be set up quickly thanks to simple side-by-side mounting.

General ordering data

Order No.	<u>1784270000</u>
Part designation	ZQV 2.5N 1/4-2 SW
Version	PLUGSERIES, Relays, No. of contacts: Rated
	control voltage:
GTIN (EAN)	4032248214679
Qty.	60 pc(s).

PLUGSERIES ZQV 2.5N 1/4-2 SW

Technical data



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 16 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-2083 www.weidmueller.com

Dimensions			
Length	92 mm		
Temperature			
Ambient temperature (operational)	-40 °C+50 °C	Storage temperature	
Rated data		olorago lompolalaro	
Flammability class UL 94	V-0		
Insulation coordination (EN 50	178)		
Protection class	IP 20	Protective separation acc. to VDE 0106 pa 101	rt Yes
Other technical data			
Version	Relay accessory - cross-		
	connector		
Approvals			
Approvals institutes			
Classifications			
	50000400		50000400
ETIM 2.0 eClass 5.1	EC000489 27-14-11-40	ETIM 3.0 eClass 6.0	EC000489 27-14-11-40
Notes	-		
Note, technical data	Cross-connectors and marke	rs - refer to PLUGSERIES accessories	

Creation date November 4, 2010 10:44:22 PM CET