



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



General ordering data

Order No.	1805500000
Part designation	IAD 1/4 GE MIT BLITZ
Version	Connector markers, Polyamide 66, yellow
EAN	4032248270439
Qty.	20 pc(s).

Product notes

Product description	The VDE standards call for power connection terminals to be covered. For this purpose, Weidmüller can supply yellow warning covers printed with the "lightning flash" symbol. The cover is clipped into the screwdriver slit in the terminal and each one covers a group of four terminals.
---------------------	---

Dimensions

Width	24.3 mm
-------	---------

Additional technical data

Explosion-tested version "Ex e"	No
Installation advice	Direct mounting

Function

Function	Cover for terminals
----------	---------------------

Mounting rail

Height	11.2 mm
Installation advice	Direct mounting

Print

Colour of printing	black
Orientation of print	vertical
Printed characters	Symbols
Printing method	Tampoprint
Type of printing	Standard

Properties

Material colour	yellow
Max. temperature, continuous	100 °C
Min. temperature, continuous	-40 °C
UL 94 flammability class	V2

Approvals

Approvals institutes	n.a.
----------------------	------

Classifications

eClass 4.1	24-19-02-19
eClass 5.0	27-14-11-37
eClass 5.1	27-14-11-37

Similar products

Order No.	Part designation	Version
1818420000	IAD 1/4 GE NEUTRAL	Connector markers, L x W: 6 x 5 mm, Polyamide 66, yellow
1828430000	IAD 2/4 GE NEUTRAL	Connector markers, L x W: 6 x 6 mm, Polyamide 66, yellow
1828420000	IAD 2/4 GE MIT BLITZ	Connector markers, L x W: 6 x 6 mm, Polyamide 66, yellow