



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Cable housing - KGG-PC 4/ 3-F - 1837324

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Cable housing, Pitch: 0 mm, Number of positions: 3, Dimension a: 24.66 mm, Color: green

Product Features

- ✓ Ergonomic cable housing for standard PC 4 plugs with screw connection
- ✓ KGS-PC 4 (angled cable outlet) for cable diameters from 6 to 16 mm²
- ✓ KGG-PC 4 for cable diameters from 4 to 13.5 mm²
- ✓ A cable clamp can be mounted back to front



Key commercial data

Packing unit	1 PCE
Minimum order quantity	10 PCE
GTIN	 4 017918 111335
Custom tariff number	85369010
Country of origin	POLAND

Technical data

Dimensions / positions

Pitch	0 mm
Dimension a	24.66 mm
Number of positions	3

Technical data

Range of articles	KGG-PC 4/...-F
Insulating material group	0
Insulating material	ABS

Cable housing - KGG-PC 4/ 3-F - 1837324

Technical data

Technical data

Inflammability class according to UL 94	HB
---	----

Classifications

ETIM

ETIM 3.0	EC000058
ETIM 4.0	EC000437
ETIM 5.0	EC000451

UNSPSC

UNSPSC 11	39121409
UNSPSC 12.01	39121409
UNSPSC 13.2	39121409
UNSPSC 6.01	30211810
UNSPSC 7.0901	39121409

eCl@ss

eCl@ss 4.0	272607xx
eCl@ss 4.1	27260701
eCl@ss 5.0	27260701
eCl@ss 5.1	27260701
eCl@ss 6.0	27260704
eCl@ss 7.0	27440402

Approvals

Approvals

Approvals

GOST / GOST


Ex Approvals

Approvals submitted

Cable housing - KGG-PC 4/ 3-F - 1837324

Approvals

Approval details




Accessories

Accessories

Marking

Cable housing - KGS-MSTB 2,5/ DST - 1784914



Transparent label carrier, can be marked with marker strips SBS 2.5/7.5

Marking card for terminal marking - SBS 2,5/7,5 - 1007604



Marking card for terminal marking, Card, white, Unlabeled, Can be labeled with: Plotter, Perforated, Mounting type: Snap into tall marker groove, Snap into flat marker groove, For terminal block width: 2.5 mm, Lettering field: 15 x 7.5 mm

Drawings

Cable housing - KGG-PC 4/ 3-F - 1837324

Dimensioned drawing

