

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









# Half screw connection - VC-M-KV-PG21(11,5-15,5) - 1854035

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Half screw connection Pg21, made of metal, consisting of rubber seal with one hole and one pressure screw, for type 2 - 4 housings, cable [mm] 11.5 - 13.5



## **Key Commercial Data**

Packing unit	5 STK		
GTIN	4 017918 145941		
GTIN	4017918145941		

#### Technical data

#### **Dimensions**

Wrench size, union nut	30 mm
External cable diameter	11.5 mm 15.5 mm

#### Ambient conditions

Degree of protection	IP67
Ambient temperature (operation)	-40 °C 125 °C

#### General

Note	Adapter screw connections are available on request for large cable dimensions, from Pg16 to Pg21 and from Pg21 to Pg29			
No. of conductors	1			
Material, pressure screw	Nickel-plated brass			
Seal material	TPE			
Cable seal material	TPE			
Shielded	no			
Thread type on seal side	Pg21			
Tightening torque, union nut	10.00 Nm			

#### **Environmental Product Compliance**

REACh SVHC	Lead 7439-92-1



## Half screw connection - VC-M-KV-PG21(11,5-15,5) - 1854035

## Technical data

### **Environmental Product Compliance**

China RoHS	Environmentally Friendly Use Period = 50		
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"		

Approvals				
Approvals				
Approvals				
EAC				
Ex Approvals				
Approval details				
EAC	EAC			B.01742

Phoenix Contact 2018 © - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany

Tel. +49 5235 300 Fax +49 5235 3 41200

http://www.phoenixcontact.com