



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



VC-EMV-KV-PG16(9-13/10,5)


Order No.: 1854174

The illustration shows versions Pg16 and Pg21

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1854174>

EMC half screw connection Pg16, for metal housings, consisting of rubber seal, iris spring, cone disks and pressure screw, for size 1 housings, cable shielding range [mm] 6.5-10.5, cable [mm] 9-13

Commercial data

| | |
|--------------------------|--|
| GTIN (EAN) |  4 017918 145767 |
| sales group | D290 |
| Pack | 1 pcs. |
| Customs tariff | 85369010 |
| Catalog page information | Page 374 (PC-2009) |

Product notesWEEE/RoHS-compliant since:
01/01/2008

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data**General data**

| | |
|--------------------------|--|
| Note | Adapter screw connections are available on request for large cable dimensions, from Pg16 to Pg21 and from Pg21 to Pg29 |
| Material, pressure screw | Nickel-plated brass |
| Seal material | TPE |

| | |
|---------------------------------|-------------------|
| Wrench size, union nut | 24 mm |
| Thread type on seal side | PG16 |
| External cable diameter | 9 mm ... 13 mm |
| Degree of protection | IP67 |
| Ambient temperature (operation) | -40 °C ... 125 °C |

Certificates / Approvals

Certification GOST

Address

PHOENIX CONTACT Deutschland GmbH
Flachsmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact
Technical modifications reserved;