Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!

Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832
Email & Skype: info@chipsmall.com Web: www.chipsmall.com
Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China

Terminal markers
DEK 5/3,5 MC FWZ 1-10

The **dekafix (DEK)** marker is the universal marker for all conductor and plug-in connectors as well as for electronics mdoules. The system is ideal for small groups of consecutive numbers and covers a large range of ready-printed markers.

Being mounted as strips means that they are quickly clipped on in one operation. The printing is legible with good contrast, and is available in five widths.

- Large selection of ready-to-use markers
- In strips for fast installation
- Connector markers are suitable for all Weidmüller conductor connectors
- Available as blank cards, MultiCard or as cards with standard printing

General ordering data

Order No.	1858470000
Type	DEK 5/3,5 MC FWZ 1-10
Version	Terminal markers, MultiCard, 5 x 3.5 mm, Polyamide 66, Colour: White
GTIN (EAN)	4032248409136
Qty.	500 pc(s).

Creation date April 17, 2013 10:09:39 PM CEST

Terminal markers
DEK 5/3,5 MC FWZ 1-10

Technical data

Dimensions and weights

Length	5 mm	Width	3.5 mm
Net weight	0.174 g		

Markings

Cadmium	No	Colour	White
Colour of printing	Black	Conductor O.D.	
Halogen	No	Material	Polyamide 66
Material colour according to resistance code	9	Operating temperature range, max.	100 °C
Operating temperature range, min.	-40 °C	Orientation of print	horizontal
Pin can be written (STI)	No	Pitch in mm (P)	3.5 mm
Printed characters	Numbers	Printing method	MC Laser
UL 94 flammability rating	V-2		

Classifications

ETIM 2.0	EC000761	ETIM 3.0	EC000761
UNSPSC	30-21-18-07	eClass 4.1	24-19-02-19
eClass 5.1	27-14-11-37	eClass 6.2	27-14-11-37
eClass 7.1	27-14-11-37		

Product information

Description of article	MultiCard markers for labelling terminals

Approvals

Approvals	
ROHS	Conform