

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









Z-series ZP 4 ZT4/4AN FX-SET

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 16 D-32758 Detmold

Germany Fon: +49 5231 14-0

Fax: +49 5231 14-292083 www.weidmueller.com





One terminal strip for the functional unit, one plug-in connector for the cable loom fabrication. All that remains to be done is to clip the two units together during final assembly – just like a plug-in connector. Finished! Whether for railway engineering, mechanical engineering or shipbuilding applications, all are served excellently by the products of the Weidmüller Z-Series. This is because the products are easy to use and practical, and the connections are simple, reliable and quick. Modular and flexible connection systems are especially in demand where complete functional units have to be prefabricated or replaced.

General ordering data

| Order No. | <u>1859750000</u> |
|------------|---|
| Туре | ZP 4 ZT4/4AN FX-SET |
| Version | Z-series, Intermediate plate, Direct mounting |
| GTIN (EAN) | 4032248425129 |
| Oty. | 20 pc(s). |



Z-series ZP 4 ZT4/4AN FX-SET

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 16 D-32758 Detmold

Germany Fon: +49 5231 14-0

Fax: +49 5231 14-292083 www.weidmueller.com

Technical data

Dimensions and weights

| Length | 100.5 mm | Width | 8 mm |
|--------|----------|------------|---------|
| Height | 43 mm | Net weight | 20.75 g |

Temperatures

| Operating temperature | | Storage temperature | | |
|----------------------------------|--------|---|--|--|
| Continuous operating temp., min. | -50 °C | Continuous operating temp., max. 120 °C | | |

Additional technical data

| Explosion-tested version | No | Installation advice | Direct mounting |
|--------------------------|----------------------------|---------------------|-----------------|
| Version | Fnd and intermediate plate | | |

Material data

| Material | Wemid | Colour | Beige | |
|---------------------------|-------|--------|-------|--|
| UL 94 flammability rating | V-0 | | | |

System specifications

| Product family | Z-series |
|----------------|----------|

Classifications

| ETIM 3.0 | EC000886 | UNSPSC | 30-21-18-11 |
|------------|-------------|------------|-------------|
| eClass 4.1 | 27-14-11-99 | eClass 5.1 | 27-14-11-45 |
| eClass 6.2 | 27-14-92-14 | eClass 7.1 | 27-14-03-05 |

Approvals

Approvals



ROHS Conform