



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## HDC kits

### HDC-KIT-HA 10.110

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com



HDC kits are standardized kits for assembling complete plug-in connectors.

The HDC kits normally consist of a male insert, a female insert, a plug housing, a bulkhead housing and a cable gland.

Weidmüller offers a range of standard connector combinations with metric or PG cable entry threads.

The wire connection level is designed as a screw element. All screw connections are equipped with a wire protection spring.

Screw connection

#### General ordering data

Order No.	<a href="#">1884310000</a>
Type	HDC-KIT-HA 10.110
Version	RockStar® HDC kits-Heavy Duty Connectors, Kit, HA, Size: 2, Poles: 10, Screw connection, 250 V, 16 A, PG
GTIN (EAN)	4032248488599
Qty.	1 pc(s).

## HDC kits

### HDC-KIT-HA 10.110

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

## Technical data

### Dimensions and weights

Net weight	367 g
------------	-------

### Temperatures

Continuous operating temp., min.	-40 °C	Continuous operating temp., max.	100 °C
----------------------------------	--------	----------------------------------	--------

### General data

Cable gland	PG	Connection type PE	Screw connection
Material	diecast aluminium	No. of poles	10
Rated current (DIN EN 61984)	16 A	Rated voltage (DIN EN 61984)	250 V
Series	HA	Size	2

### Version

Material	diecast aluminium	Size	2
Type of connection	Screw connection		

### Classifications

UNSPSC	30-21-18-01	eClass 4.1	27-14-08-05
eClass 5.1	27-14-34-19	eClass 6.2	27-26-07-03
eClass 7.1	27-44-05-15		

### Product information

Descriptive text ordering data	Metal enclosures
--------------------------------	------------------

### Approvals

Approvals	
ROHS	Conform