



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com


Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



VC-MP-S4

Order No.: 1884759

The illustration shows versions, powder-coated and EMC-coated box
mounting base



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1884759>

Box mounting base, made of metal, powder-coated type 4, number of
modules 5, cable screw connection Pg21

Commercial data

| | |
|--------------------------|--------------------|
| EAN | 4017918164782 |
| Pack | 5 pcs. |
| Customs tariff | 85389099 |
| Weight/Piece | 0.59878 KG |
| Catalog page information | Page 371 (PC-2009) |

Product notes

WEEE/RoHS-compliant since:
11/08/2006



[http://
www.download.phoenixcontact.com](http://www.download.phoenixcontact.com)
Please note that the data given
here has been taken from the
online catalog. For comprehensive
information and data, please refer
to the user documentation. The
General Terms and Conditions of
Use apply to Internet downloads.

Technical data

General characteristics

| | |
|------------------------------|--|
| Note | When using fiber optics, the bending radii of the cable manufacturers must be observed. |
| Design | VC4 |
| Degree of protection | IP65/IP66/IP67 |
| Type of the screw connection | Pg21 |
| Pg screw connection | None |

| | |
|---------------------------------|-------------------|
| Height | 61 mm |
| Number of module slots | 5 |
| Housing material | Zinc die-cast |
| Housing surface material | Powder coating |
| Seal material | EPDM |
| Ambient temperature (operation) | -40 °C ... 125 °C |

Accessories

| Item | Designation | Description |
|----------------|---------------------------|--|
| General | | |
| 1885619 | VC-M-KV-PG21 1X6/2X9 | Multiple screw connection Pg21, made of metal, consisting of rubber seal with several holes (1 x 6 mm/2 x 9 mm) and a pressure screw, for cable screw connection support VC-M-KV-PG21... |
| 1885635 | VC-M-KV-PG21 2X6/2X8 | Multiple screw connection Pg21, made of metal, consisting of rubber seal with several holes (2 x 6 mm/2 x 8 mm) and a pressure screw, for cable screw connection support VC-M-KV-PG21... |
| 1885648 | VC-M-KV-PG21 2X7,2/1X10,5 | Multiple screw connection Pg21, made of metal, consisting of rubber seal with several holes (2 x 7.2 mm/1 x 10.5 mm) and a pressure screw, for cable screw connection thread VC-M-KV-PG21... |
| 1885651 | VC-M-KV-PG21 3X7 | Multiple screw connection Pg21, made of metal, consisting of rubber seal with several holes (3 x 7 mm) and a pressure screw, for cable screw connection thread VC-M-KV-PG21... |
| 1885664 | VC-M-KV-PG21 3X9 | Multiple screw connection Pg21, made of metal, consisting of rubber seal with several holes (3 x 8 mm) and a pressure screw, for cable screw connection support VC-M-KV-PG21... |
| 1885677 | VC-M-KV-PG21 4X6,5 | Multiple screw connection Pg21, made of metal, consisting of rubber seal with several holes (4 x 6.5 mm) and a pressure screw, for cable screw connection support VC-M-KV-PG21... |
| 1885680 | VC-M-KV-PG21 4X8 | Multiple screw connection Pg21, made of metal, consisting of rubber seal with several holes (4 x 8 mm) and a pressure screw, for cable screw connection support VC-M-KV-PG21... |
| 1853997 | VC-M-KV-PG21(7-10,5) | Half screw connection Pg21, made of metal, consisting of rubber seal with one hole and one pressure screw, for type 2 - 4 housings, cable [mm] 7 - 10.5 |
| 1854006 | VC-M-KV-PG21(9-13) | Half screw connection Pg21, made of metal, consisting of rubber seal with one hole and one pressure screw, for type 2 - 4 housings, cable [mm] 9 - 13 |
| 1854035 | VC-M-KV-PG21(11,5-15,5) | Half screw connection Pg21, made of metal, consisting of rubber seal with one hole and one pressure screw, for type 2 - 4 housings, cable [mm] 11.5 - 13.5 |


| | | |
|---------|--------------------------|---|
| 1854048 | VC-M-KV-PG21(14-18) | Half screw connection Pg21, made of metal, consisting of rubber seal with one hole and one pressure screw, for type 2 - 4 housings, cable [mm] 14 - 18 |
| 1854051 | VC-M-KV-PG21(17-20,5) | Half screw connection Pg21, made of metal, consisting of rubber seal with one hole and one pressure screw, for type 2 - 4 housings, cable [mm] 17 - 20.5 |
| 1885305 | VC-M-KV-PG21(20X 7) | Single screw connection PG21, made of metal, consisting of rubber seal with a long hole and pressure screw, for type 2-4 housings, cable [mm] 20 x 7 mm (for flat-ribbon cable) |
| 1854970 | VC-M-KV-PG21- 1X8,5/1X12 | Half screw connection Pg21, made of metal, consisting of rubber seal with several holes (1 x 8.5 mm/1 x 12 mm) and one pressure screw, for type 2 - 4 housings |

Marking

| | | |
|---------|-----------|--|
| 1852875 | VC-BZS WH | Marker labels, unprinted, 5-section, for individual labeling with M-PEN or CMS system, white |
|---------|-----------|--|

Diagrams/Drawings

Dimensioned drawing



Address

PHOENIX CONTACT Deutschland GmbH
Flachsmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2010 Phoenix Contact
Technical modifications reserved;