



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



VARIOCON

Protective covers for sleeve housings, supporting base elements and panel mounting frames

Introduction

Plug connectors must be protected against dirt, water and mechanical influences at the machine and in the system.

The VC protective covers offer reliable protection even in case of harsh environmental conditions.



VC-SD-T

Protective cover for sleeve housings



Description		Type	Order No.	Pcs./Pkt.
Protective cover for sleeve housing,	Type 1	VC-SD-T1	18 86 72 8	5
	Type 2	VC-SD-T2	18 86 73 1	5
	Type 3	VC-SD-T3	18 86 74 4	5
	Type 4	VC-SD-T4	18 86 75 7	5
Technical data				
Degree of protection		IP 50		
Material		PA		
Hole diameter of the retaining cord eyelet	[mm]	3.3		
Temperature range	[°C]	-40 to +80		
Inflammability class acc. to UL 94		V0		

VC-SD-A
Protective cover for supporting
base elements as well as for
panel mounting frames



Description		Type	Order No.	Pcs./Pkt.
Protective cover for panel mounting and box mounting base and panel mounting frames	Type 1	VC-SD-A1	18 86 76 0	5
	Type 2	VC-SD-A2	18 86 77 3	5
	Type 3	VC-SD-A3	18 86 78 6	5
	Type 4	VC-SD-A4	18 86 79 9	5
Technical data				
Degree of protection		IP 65		
Material		PA		
Hole diameter of the retaining cord eyelet	[mm]	3.3		
Temperature range	[°C]	-40 to +80		
Inflammability class acc. to UL 94		V0		